abcam

Product datasheet

Anti-ASB6 antibody ab67768

画像数 2

製品の概要

製品名	Anti-ASB6 antibody
製品の詳細	Mouse polyclonal to ASB6
由来種	Mouse
特異性	Antibody reactive against mammalian transfected lysate.
アプリケーション	**適用あり:** WB
種交差性	**交差種:** Human
免疫原	Full length protein, corresponding to amino acids 1-421 of Human ASB6
ポジティブ・コントロール	Transfected 293T cell lysate and human liver lysate

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.20 Constituents: 2.68% PBS, 0.2% Monobasic dihydrogen potassium phosphate, 0.6% Dibasic monohydrogen sodium phosphate, 0.2% Potassium chloride, Whole serum, 8% Sodium chloride, 88.32% Water
精製度	Protein A purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab67768の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		

追加情報	WB: 1/500 - 1/1000. Predicted molecular weight: 47 kDa. Detection pair Not yet tested in other applications. Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報

機能	Probable substrate-recognition component of a SCF-like ECS (Elongin-Cullin-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins.
パスウェイ	Protein modification; protein ubiquitination.
配列類似性	Contains 6 ANK repeats. Contains 1 SOCS box domain.
ドメイン	The SOCS box domain mediates the interaction with the Elongin BC complex, an adapter module in different E3 ubiquitin-protein ligase complexes.
細胞内局在	Cytoplasm.

画像



Western blot - Anti-ASB6 antibody (ab67768)

Anti-ASB6 antibody (ab67768) at 1/500 dilution + ASB6 expression in human liver at 25 µg

Secondary

Goat anti-mouse IgG (H&L)-HRP conjugate at 1/2500 dilution

Predicted band size: 47 kDa

Observed band size: 52 kDa



Western blot - Anti-ASB6 antibody (ab67768)

All lanes : Anti-ASB6 antibody (ab67768) at 1/500 dilution

Lane 1 : ASB6 transfected lysate

Lane 2 : Non transfected lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes : Goat anti-mouse IgG (H&L)-HRP conjugate at 1/2500 dilution

Predicted band size: 47 kDa

Observed band size: 40 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.co.jp/abpromise** or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors