

## Product datasheet

# Anti-FRMD6 antibody ab121133

画像数 3

### 製品の概要

製品名	Anti-FRMD6 antibody
製品の詳細	Rabbit polyclonal to FRMD6
由来種	Rabbit
アプリケーション	<b>適用あり:</b> IHC-P, WB, ICC/IF
種交差性	<b>交差種:</b> Mouse, Human
免疫原	Recombinant fragment corresponding to amino acids 446-580 of Human FRMD6 (Q96NE9). <a href="#">Run BLAST with ExPASy</a> <a href="#">Run BLAST with NCBI</a>
ポジティブ・コントロール	Human duodenum tissue; RT-4, EFO-21, A-431, Liver, Tonsil cell lysates; and Human cell line U-2 OS.

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab121133** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項

アプリケーション	Abreviews	特記事項
IHC-P		1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. Use buffer at pH 6 for antigen retrieval.
WB		1/250 - 1/500.
ICC/IF		Use a concentration of 1 - 4 µg/ml. The following steps are recommended prior to antibody incubation: cells fixation in ice cold 4% paraformaldehyde pH 7.2-7.3, followed by permeabilization with 0.1% Triton X-100 in PBS for 3x5 minutes.

## ターゲット情報


配列類似性	Contains 1 FERM domain.
細胞内局在	Cytoplasm. Cell membrane. Can colocalize with actin.

## 画像



Immunohistochemical staining of human duodenum with anti-FRMD6 antibody (ab121133) at 1:350 dilution. It shows strong cytoplasmic positivity in glandular cells


Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-FRMD6 antibody (ab121133)



**All lanes** : Anti-FRMD6 antibody (ab121133) at 1/250 dilution

**Lane 1** : RT-4 cell lysate  
**Lane 2** : EFO-21 cell lysate  
**Lane 3** : A-431 cell lysate  
**Lane 4** : Liver cell lysate  
**Lane 5** : Tonsil cell lysate

Western blot - Anti-FRMD6 antibody (ab121133)



Immunofluorescent staining of human cell line U-2 OS (fixed/permealized with PFA/Trion X-100) with anti-FRMD6 antibody (ab121133) at 1µg/ml in green. It shows positivity in mitochondria.

Immunocytochemistry/ Immunofluorescence - Anti-FRMD6 antibody (ab121133)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors