

## Product datasheet

# Anti-Influenza A Virus Hemagglutinin antibody [1.B.408] ab119966

### 製品の概要

製品名	Anti-Influenza A Virus Hemagglutinin antibody [1.B.408]
製品の詳細	Mouse monoclonal [1.B.408] to Influenza A Virus Hemagglutinin
由来種	Mouse
特異性	ab119966 Reacts with hemagglutinin of H1 serotype.
アプリケーション	<b>適用あり:</b> ELISA, ICC/IF, Inhibition Assay, ICC
種交差性	<b>交差種:</b> Influenza A
免疫原	Purified influenza virus type A strain H1N1.

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Add glycerol to a final volume of 50% for extra stability and aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	pH: 7.40 Preservative: 0.1% Sodium azide Constituent: 99% PBS
精製度	Protein G purified
特記事項 (精製)	Purified by Protein G affinity chromatography (? 95% SDS-PAGE).
ポリ/モノ	モノクローナル
クローン名	1.B.408
アイソタイプ	IgG1

### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab119966** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
ELISA		Use at an assay dependent dilution.

アプリケーション	Abreviews	特記事項
ICC/IF		Use at an assay dependent dilution.
Inhibition Assay		Use at an assay dependent concentration. Use at an assay dependent dilution
ICC		Use at an assay dependent concentration.

## ターゲット情報

<b>関連性</b>	Influenza A virus is a major public health threat. Novel influenza virus strains caused by genetic drift and viral recombination emerge periodically to which humans have little or no immunity, resulting in devastating pandemics. Influenza A can exist in a variety of animals; however it is in birds that all subtypes can be found. These subtypes are classified based on the combination of the virus coat glycoproteins hemagglutinin (HA) and neuraminidase (NA) subtypes. During 1997, an H5N1 avian influenza virus was determined to be the cause of death in 6 of 18 infected patients in Hong Kong. There was some evidence of human to human spread of this virus, but it is thought that the transmission efficiency was fairly low. HA interacts with cell surface proteins containing oligosaccharides with terminal sialyl residues. Virus isolated from a human infected with the H5N1 strain in 1997 could bind to oligosaccharides from human as well as avian sources, indicating its species jumping ability. Influenza A Virus Hemagglutinin antibodies recognize the influenza hemagglutinin epitope, which has been used extensively as a general epitope tag in expression vectors. The extreme specificity of this antibody allows for unambiguous identification and quantitative analysis of the tagged protein.
<b>細胞内局在</b>	Apical cell membrane; Single-pass type I membrane protein. Note=Targeted to the apical plasma membrane in epithelial polarized cells through a signal present in the transmembrane domain. Associated with glycosphingolipid- and cholesterol-enriched detergent-resistant lipid rafts.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors