

Product datasheet

Anti-MST1 antibody [EPR6207] ab124787

リコンビナント RabMAb®

画像数 2

製品の概要

製品名	Anti-MST1 antibody [EPR6207]
製品の詳細	Rabbit monoclonal [EPR6207] to MST1
アプリケーション	適用あり: WB, IHC-P, Flow Cyt 適用なし: ICC or IP
種交差性	交差種: Mouse, Rat, Human
免疫原	Synthetic peptide corresponding to residues in Human MST1.
ポジティブ・コントロール	HepG2, 293T and Caco-2 cell lysates. Human liver carcinoma tissue.
特記事項	This product is a recombinant rabbit monoclonal antibody. Produced using Abcam's RabMAb® technology. RabMAb® technology is covered by the following U.S. Patents, No. 5,675,063 and/or 7,429,487.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
バッファー	PBS 49%, Sodium azide 0.01%, Glycerol 50%, BSA 0.05%
精製度	Tissue culture supernatant
ポリ/モノ	モノクローナル
クローン名	EPR6207
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab124787** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/10000. Detects a band of approximately 85 kDa (predicted molecular weight: 80 kDa).

IHC-P 1/50 - 1/100. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

Flow Cyt 1/10 - 1/100. [ab172730](#)-Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.

追加情報 Is unsuitable for ICC or IP.

ターゲット情報


機能 Probably has no proteolytic activity, since crucial characteristic of serine proteases catalytic sites are not conserved.

配列類似性 Belongs to the peptidase S1 family. Plasminogen subfamily.
Contains 4 kringle domains.
Contains 1 PAN domain.
Contains 1 peptidase S1 domain.

翻訳後修飾 May be cleaved after Arg-483, to yield two chains held together by disulfide bonds, or two separate polypeptides.

細胞内局在 Secreted.

Anti-MST1 antibody [EPR6207] 画像



Western blot - Anti-MST1 antibody [EPR6207]
([ab124787](#))

All lanes : Anti-MST1 antibody [EPR6207]
([ab124787](#)) at 1/1000 dilution

Lane 1 : HepG2 cell lysate

Lane 2 : 293T cell lysate

Lane 3 : Caco-2 cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

Standard HRP labelled goat anti-rabbit at
1/2000 dilution

Predicted band size : 80 kDa

Observed band size : 85 kDa



ab124787 at 1/50 dilution staining MST1 in paraffin-embedded Human liver carcinoma tissues by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MST1 antibody [EPR6207] (ab124787)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors