

Product datasheet

Anti-Myelin Protein Zero antibody ab64685

2 References 画像数 1

製品の概要

製品名	Anti-Myelin Protein Zero antibody
製品の詳細	Rabbit polyclonal to Myelin Protein Zero
特異性	This antibody is specific for the extracellular domain of Myelin Protein Zero.
アプリケーション	適用あり: WB
種交差性	交差種: Mouse
免疫原	Synthetic peptide made against the extracellular domain of Myelin Protein Zero (183 amino acid N-terminal region) expressed in E. coli.
ポジティブ・コントロール	Mouse sciatic nerve extract.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: Whole serum
精製度	Whole antiserum
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab64685** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		1/500. Detects a band of approximately 30 kDa (predicted molecular weight: 28 kDa).

ターゲット情報

機能	Creation of an extracellular membrane face which guides the wrapping process and ultimately compacts adjacent lamellae.
組織特異性	Found only in peripheral nervous system Schwann cells.
関連疾患	<p>Defects in MPZ are the cause of Charcot-Marie-Tooth disease type 1B (CMT1B) [MIM:118200]. CMT1B is a form of Charcot-Marie-Tooth disease, the most common inherited disorder of the peripheral nervous system. Charcot-Marie-Tooth disease is classified in two main groups on the basis of electrophysiologic properties and histopathology: primary peripheral demyelinating neuropathy or CMT1, and primary peripheral axonal neuropathy or CMT2. Neuropathies of the CMT1 group are characterized by severely reduced nerve conduction velocities (less than 38 m/sec), segmental demyelination and remyelination with onion bulb formations on nerve biopsy, slowly progressive distal muscle atrophy and weakness, absent deep tendon reflexes, and hollow feet.</p> <p>Defects in MPZ are the cause of Charcot-Marie-Tooth disease type 2I (CMT2I) [MIM:607677]. CMT2I is a form of Charcot-Marie-Tooth disease, the most common inherited disorder of the peripheral nervous system. Charcot-Marie-Tooth disease is classified in two main groups on the basis of electrophysiologic properties and histopathology: primary peripheral demyelinating neuropathy or CMT1, and primary peripheral axonal neuropathy or CMT2. Neuropathies of the CMT2 group are characterized by signs of axonal regeneration in the absence of obvious myelin alterations, normal or slightly reduced nerve conduction velocities, and progressive distal muscle weakness and atrophy. CMT2I is characterized by late onset (range 47 to 60 years).</p> <p>Defects in MPZ are the cause of Charcot-Marie-Tooth disease type 2J (CMT2J) [MIM:607736]. CMT2J is a form of Charcot-Marie-Tooth disease characterized by the association of axonal peripheral neuropathy with hearing loss and pupillary abnormalities such as Adie pupil. Inheritance is autosomal dominant.</p> <p>Defects in MPZ are the cause of Adie pupil (ADIEP) [MIM:103100]. A stationary, benign disorder characterized by tonic, sluggishly reacting pupil and hypoactive or absent tendon reflexes. Adie pupil is a characteristic of Charcot-Marie-Tooth disease type 2J.</p> <p>Defects in MPZ may be the cause of Charcot-Marie-Tooth disease dominant intermediate type D (CMTDID) [MIM:607791]. CMTDID is a form of Charcot-Marie-Tooth disease characterized by features intermediate between demyelinating and axonal peripheral neuropathies, and motor median nerve conduction velocities ranging from 25 to 45 m/sec.</p> <p>Defects in MPZ are a cause of Dejerine-Sottas syndrome (DSS) [MIM:145900]; also known as Dejerine-Sottas neuropathy (DSN) or hereditary motor and sensory neuropathy III (HMSN3). DSS is a severe degenerating neuropathy of the demyelinating Charcot-Marie-Tooth disease category, with onset by age 2 years. DSS is characterized by motor and sensory neuropathy with very slow nerve conduction velocities, increased cerebrospinal fluid protein concentrations, hypertrophic nerve changes, delayed age of walking as well as areflexia. There are both autosomal dominant and autosomal recessive forms of Dejerine-Sottas syndrome.</p> <p>Defects in MPZ are a cause of congenital hypomyelination neuropathy (CHN) [MIM:605253]. CHN is characterized clinically by early onset of hypotonia, areflexia, distal muscle weakness, and very slow nerve conduction velocities.</p> <p>Defects in MPZ are a cause of Roussy-Levy syndrome (ROULS) [MIM:180800]; also known as Roussy-Levy hereditary areflexic dystasia. This autosomal dominant disorder resembles Charcot-Marie-Tooth disease type 1 in that it presents with foot deformity, weakness and atrophy of distal limb muscles, especially the peronei, and absent tendon reflexes. The phenotype differs, however, in that it includes static tremor of the upper limbs and gait ataxia.</p>
配列類似性	<p>Belongs to the myelin P0 protein family.</p> <p>Contains 1 Ig-like V-type (immunoglobulin-like) domain.</p>
翻訳後修飾	N-glycosylated; contains sulfate-substituted glycan.

画像



Anti-Myelin Protein Zero antibody (ab64685)
at 1/500 dilution + Mouse sciatic nerve extract
at 20 μ g

Secondary

Goat anti-rabbit at 5000

Predicted band size : 28 kDa

Observed band size : 30 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors