abcam

Product datasheet

# Anti-PIGG antibody ab121496

1 Abreviews 画像数 1

## 製品の概要

| | |
|---|---|
| **製品名** | Anti-PIGG antibody |
| **製品の詳細** | Rabbit polyclonal to PIGG |
| **由来種** | Rabbit |
| **アプリケーション** | **適用あり:** IHC-P |
| **種交差性** | **交差種:** Human |
| **免疫原** | antigen sequence, corresponding to amino acids 175-315 of Human PIGG. |
| **ポジティブ・コントロール** | Human small intestine tissue; RT 4 and U 251 MG cell lysates; Human Liver and Tonsil lysates. |
| **特記事項** | The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.<br>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As |

## 製品の特性

| | |
|---|---|
| **製品の状態** | Liquid |
| **保存方法** | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| **バッファー** | pH: 7.20<br>Preservative: 0.02% Sodium azide<br>Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine) |
| **精製度** | Immunogen affinity purified |
| **ポリ/モノ** | ポリクローナル |
| **アイソタイプ** | IgG |

## アプリケーション

**The Abpromise guarantee** Abpromise保証は、次のテスト済みアプリケーションにおけるab121496の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|---|---|---|
| **IHC-P** | | 1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. |

## ターゲット情報

| | |
|---|---|
| **機能** | Ethanolamine phosphate transferase involved in glycosylphosphatidylinositol-anchor biosynthesis. Transfers ethanolamine phosphate to the GPI second mannose. |
| **パスウェイ** | Glycolipid biosynthesis; glycosylphosphatidylinositol-anchor biosynthesis. |
| **配列類似性** | Belongs to the PIGG/PIGN/PIGO family. PIGG subfamily. |
| **細胞内局在** | Endoplasmic reticulum membrane. |

## 画像



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-PIGG antibody (ab121496)

ab121496, at 1/400 dilution, staining PIGG in paraffin-embedded Human small intestine tissue by Immunohistochemistry.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.co.jp/abpromise** or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors