




Product datasheet

Anti-KCTD13 antibody ab32974

1 References 画像数 2

製品の概要

製品名	Anti-KCTD13 antibody
製品の詳細	Rabbit polyclonal to KCTD13
由来種	Rabbit
アプリケーション	適用あり: ELISA, WB, IHC-P
種交差性	交差種: Human 交差が予測される動物種: Mouse, Rat, Rabbit, Cow, Cat, Dog 
免疫原	Synthetic peptide within Human KCTD13 aa 26-75 (N terminal). The exact sequence is proprietary. Sequence: PGPAAYGLKPLTPNSKYVKLNVGGS�HYTTLRTLTLGQDTMLKAMFSGRVE Database link: Q8WZ19  Run BLAST with  Run BLAST with
ポジティブ・コントロール	WB: Fetal heart lysate. IHC-P: Human brain tissue.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	Preservative: 0.09% Sodium azide Constituents: 2% Sucrose, PBS
精製度	Immunogen affinity purified
特記事項 (精製)	This antibody is purified by peptide affinity chromatography method.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab32974** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリ ケーション	Abreviews	特記事項
ELISA		1/1.5625e+006.
WB		Use a concentration of 0.25 µg/ml. Detects a band of approximately 40 kDa (predicted molecular weight: 36 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.
IHC-P		Use at an assay dependent concentration.

ターゲット情報

機能	Substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin-protein ligase complex involved in regulation of cytoskeleton structure. The BCR(BACURD1) E3 ubiquitin ligase complex mediates the ubiquitination of RHOA, leading to its degradation by the proteasome, thereby regulating the actin cytoskeleton and cell migration.
組織特異性	Expressed in a wide variety of tissues.
パスウェイ	Protein modification; protein ubiquitination.
配列類似性	Belongs to the BACURD family. Contains 1 BTB (POZ) domain.
細胞内局在	Nucleus.

画像




Anti-KCTD13 antibody (ab32974) at 0.25 µg/ml + fetal heart lysate

Secondary

HRP conjugated anti Rabbit IgG 1/50000 -
1/100000

Predicted band size: 36 kDa

Observed band size: 40 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human brain tissue labelling KCTD13 with ab32974 at 4-8µg/ml. Cells with positive label (indicated by arrows) are neural cells. Magnification: 400X.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-KCTD13 antibody (ab32974)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors