




## ターゲット情報

**関連性** Proliferation-associated nucleolar antigen is expressed in mid G1 phase with peak level during the S phase and a rapid degradation during late mitosis. Its expression in breast carcinoma is correlated with patient prognosis.

**細胞内局在** Nuclear

## Anti-Proliferation Associated Nucleolar Antigen antibody 画像



**All lanes :** Anti-Proliferation Associated Nucleolar Antigen antibody (ab86094) at 0.1 µg/ml

**Lane 1 :** HeLa whole cell lysate at 50 µg/ml

**Lane 2 :** HeLa whole cell lysate at 15 µg/ml

**Lane 3 :** HeLa whole cell lysate at 5 µg/ml

**Predicted band size :** 95 kDa

**Observed band size :** 117 kDa

**Additional bands at :** 71 kDa. We are unsure as to the identity of these extra bands.

**Exposure time :** 60 seconds

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors