

## Product datasheet

# Recombinant human ZAK protein ab89852

画像数 2

### 製品の概要

製品名	Recombinant human ZAK protein
タンパク質長	Full length protein

### 法規制情報

カルタヘナ法

### 製品の詳細

由来	Recombinant
由来	Baculovirus infected Sf9 cells
アミノ酸配列	
生物種	Human

### 特性

Our [Abpromise guarantee](#) covers the use of **ab89852** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

生理活性	The specific activity of ab89852 was determined to be 62 nmol/min/mg
アプリケーション	SDS-PAGE Western blot Functional Studies
製品の状態	Liquid
備考	<a href="#">ab64311</a> (Myelin Basic Protein protein) can be utilized as a substrate for assessing kinase activity

### 前処理および保存

保存方法および安定性	Shipped on dry ice. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles.
------------	---

Preservative: None

Constituents: 25% Glycerol, 50mM Tris HCl, 150mM Sodium chloride, 0.25mM DTT, 0.1mM EGTA, 0.1mM EDTA, 0.1mM PMSF, pH 7.5

This product is an active protein and may elicit a biological response in vivo, handle with caution.

## 関連情報

### 機能

Stress-activated component of a protein kinase signal transduction cascade. Regulates the JNK and p38 pathways. Part of a signaling cascade that begins with the activation of the adrenergic receptor ADRA1B and leads to the activation of MAPK14. Pro-apoptotic. Role in regulation of S and G2 cell cycle checkpoint by direct phosphorylation of CHEK2. Isoform 1, but not isoform 2, causes cell shrinkage and disruption of actin stress fibers. Isoform 1 may have role in neoplastic cell transformation and cancer development. Isoform 1, but not isoform 2, phosphorylates histone H3 at 'Ser-28'.

### 組織特異性

Ubiquitously expressed. Isoform 2 is the predominant form in all tissues examined, except for liver, in which isoform 1 is more highly expressed.

### 配列類似性

Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. MAP kinase kinase kinase subfamily.


Contains 1 protein kinase domain.

Contains 1 SAM (sterile alpha motif) domain.

### 細胞内局在


Cytoplasm. Nucleus. Translocates to the nucleus upon ultraviolet B irradiation.

## 画像



SDS-PAGE - ZAK protein (Active) (ab89852)

SDS-PAGE showing ab89852 at approximately 82kDa



Functional Studies - ZAK protein (Active) (ab89852)

Kinase Assay demonstrating specific activity of ab89852

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors