




## Product datasheet

# Anti-TFIISH antibody ab26141

1 References [画像数 2](#)

### 製品の概要

製品名	Anti-TFIISH antibody
製品の詳細	Rabbit polyclonal to TFIISH
由来種	Rabbit
特異性	ab26141 recognises TCEA3.
アプリケーション	<b>適用あり:</b> WB, IHC-P
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Cow, Dog 
免疫原	Synthetic peptide within Human TFIISH aa 228-277 (internal sequence). The exact sequence is proprietary. Sequence: KSTDMKYRNRVRSRISNLK DPRNPGLRRNVLSGAISAGLIAKMTAEEMAS  Database link: <a href="#">O75764</a>  <div style="display: flex; justify-content: space-around;"> <span> <a href="#">Run BLAST with</a></span> <span> <a href="#">Run BLAST with</a></span> </div>
ポジティブ・コントロール	Jurkat cell lysate, human pancreatic cells.

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: 2% Sucrose, PBS
精製度	Immunogen affinity purified
ポリモノ	ポリクローナル
アイソタイプ	IgG

### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab26141** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 0.5 µg/ml. Detects a band of approximately 40 kDa (predicted molecular weight: 39 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.
IHC-P		Use at an assay dependent concentration.

## ターゲット情報

機能	Necessary for efficient RNA polymerase II transcription elongation past template-encoded arresting sites. The arresting sites in DNA have the property of trapping a certain fraction of elongating RNA polymerases that pass through, resulting in locked ternary complexes. Cleavage of the nascent transcript by S-II allows the resumption of elongation from the new 3'-terminus.
配列類似性	Belongs to the TFS-II family. Contains 1 TFIIIS central domain. Contains 1 TFIIIS N-terminal domain. Contains 1 TFIIIS-type zinc finger.
細胞内局在	Nucleus.


## 画像



Anti-TFIIISH antibody (ab26141) at 0.5 µg/ml +  
Jurkat cell lysate

**Predicted band size:** 39 kDa

**Observed band size:** 39 kDa



Staining of paraffin-embedded sections of human pancreas cells with ab26141 (4-8 ug/ml). Positive label on epithelial cells of pancreatic acinus indicated with arrows.

Immunohistochemistry (Paraffin-embedded sections)  
- TFIISH antibody (ab26141)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors