

Product datasheet

Anti-Thyroid Peroxidase antibody [6H7] ab10246

1 References

製品の概要

製品名	Anti-Thyroid Peroxidase antibody [6H7]
製品の詳細	Mouse monoclonal [6H7] to Thyroid Peroxidase
特異性	This antibody recognizes specifically human thyroid peroxidase.
アプリケーション	適用あり: WB
種交差性	交差種: Human
免疫原	Recombinant full length protein (Human).
特記事項	Concentration varies from lot to lot and can be provided on request.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	Preservative: 0.1% Sodium Azide Constituents: PBS, pH 7.4
精製度	Protein A purified
特記事項 (精製)	Purity tested by electrophoresis.
ポリ/モノ	モノクローナル
クローン名	6H7
ミエローマ	Sp2/0
アイソタイプ	IgG1

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab10246** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
AP		Use at an assay dependent dilution.

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent dilution. Predicted molecular weight: 103 kDa.

ターゲット情報

機能	Iodination and coupling of the hormonogenic tyrosines in thyroglobulin to yield the thyroid hormones T(3) and T(4).
パスウェイ	Hormone biosynthesis; thyroid hormone biosynthesis.
関連疾患	Note=An alternative splicing in the thyroperoxidase mRNA can cause Graves' disease. Defects in TPO are the cause of congenital hypothyroidism due to dyshormonogenesis type 2A (CHDH2A) [MIM:274500]; also called genetic defect in thyroid hormonogenesis 2A or thyroid hormone organification defect II. CHDH2A is due to defective conversion of accumulated iodide to organically bound iodine. The iodide organification defect can be partial or complete.
配列類似性	Belongs to the peroxidase family. XPO subfamily. Contains 1 EGF-like domain. Contains 1 Sushi (CCP/SCR) domain.
翻訳後修飾	Glycosylated. Heme is covalently bound through a H(2)O(2)-dependent autocatalytic process. Heme insertion is important for the delivery of protein at the cell surface. Cleaved in its N-terminal part.
細胞内局在	Membrane and Cell surface.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors