

Product datasheet

Anti-ANKRD53 antibody [2E4] ab119189

画像数 4

製品の概要

製品名	Anti-ANKRD53 antibody [2E4]
製品の詳細	Mouse monoclonal [2E4] to ANKRD53
アプリケーション	適用あり: WB, Flow Cyt
種交差性	交差種: Human
免疫原	Recombinant fragment, corresponding to N terminal amino acids 1-300 of Human ANKRD53 produced in E.coli (NP_079209).
ポジティブ・コントロール	HEK293T cell lysate transfected with pCMV6-ENTRY ANKRD53 cDNA; HEK293T cells transfected with ANKRD53 overexpression plasmid; HeLa and Jukat cells.
特記事項	Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 48% PBS, 1% BSA, 50% Glycerol
精製度	Protein G purified
特記事項(精製)	ab119189 is purified from Mouse ascites fluids by affinity chromatography
ポリ/モノ	モノクローナル
クローン名	2E4
アイソタイプ	IgG1

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab119189** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		1/500. Predicted molecular weight: 38 kDa.
Flow Cyt		1/100. ab170190 -Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

ターゲット情報

配列類似性 Contains 3 ANK repeats.

画像



All lanes : Anti-ANKRD53 antibody [2E4] (ab119189) at 1/500 dilution


Lane 1 : HEK293T cell lysate transfected with pCMV6-ENTRY control cDNA

Lane 2 : HEK293T cell lysate transfected with pCMV6-ENTRY ANKRD53 cDNA

Lysates/proteins at 5 µg per lane.


Predicted band size : 38 kDa

HEK293T cell lysates were generated from transient transfection of the cDNA clone (RC202922)




[ab111899](#) at 1/100 dilution staining

ANKRD53 in HEK293T cells transfected with either ANKRD53 overexpression plasmid (red) or empty vector control plasmid (blue) by flow cytometry.



ab119189 at 1/100 dilution staining ANKRD53 in HeLa cells by Immunofluorescence.



ab119189 at 1/100 dilution staining ANKRD53 in Jurkat cells by Immunofluorescence.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors