

Product datasheet

Anti-MMAB antibody [3B8] ab123907

画像数 3

製品の概要

製品名	Anti-MMAB antibody [3B8]
製品の詳細	Mouse monoclonal [3B8] to MMAB
由来種	Mouse
アプリケーション	適用あり: Flow Cyt, WB, ICC/IF
種交差性	交差種: Human
免疫原	Recombinant full length Human MMAB produced in HEK293T cells (NP_443077).
ポジティブ・コントロール	HEK293T cell lysate transfected with pCMV6-ENTRY MMAB cDNA; COS7 cells transiently transfected with pCMV6-ENTRY MMAB; HEK293T cells transfected with pCMV6-ENTRY MMAB.
特記事項	Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 48% PBS, 50% Glycerol, 1% BSA
精製度	Protein A purified
特記事項(精製)	ab123907 was purified from mouse ascites fluids by affinity chromatography.
ポリ/モノ	モノクローナル
クローン名	3B8
アイソタイプ	IgG2a

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab123907** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
Flow Cyt		1/100. ab170191 -Mouse monoclonal IgG2a, is suitable for use as an isotype control with this antibody.
WB		1/2000. Predicted molecular weight: 27 kDa.
ICC/IF		1/100.

ターゲット情報

組織特異性	Expressed in liver and skeletal muscle.
パスウェイ	Cofactor biosynthesis; adenosylcobalamin biosynthesis; adenosylcobalamin from cob(II)yrinate a,c-diamide: step 2/7.
関連疾患	Defects in MMAB are the cause of methylmalonic aciduria type cbIB (MMAB) [MIM:251110]; also known as methylmalonic aciduria type B or vitamin B12-responsive methylmalonicaciduria of cbIB complementation type. MMAB is a disorder of methylmalonate and cobalamin metabolism due to defective synthesis of adenosylcobalamin. Inheritance is autosomal recessive.
配列類似性	Belongs to the Cob(I)alamin adenosyltransferase family.
細胞内局在	Mitochondrion.

画像



All lanes : Anti-MMAB antibody [3B8] (ab123907) at 1/2000 dilution


Lane 1 : HEK293T cell lysate transfected with pCMV6-ENTRY control cDNA

Lane 2 : HEK293T cell lysate transfected with pCMV6-ENTRY MMAB cDNA

Lysates/proteins at 5 µg per lane.


Predicted band size: 27 kDa

HEK293T cell lysates were generated from transient transfection of the cDNA clone (RC204290)



ab123907, at 1/100 dilution, staining MMAB in COS7 cells transiently transfected with pCMV6-ENTRY MMAB by Immunofluorescence.

Immunocytochemistry/ Immunofluorescence - Anti-MMAB antibody [1B6] (ab123907)



ab123907 at 1/100 dilution staining MMAB in HEK293T cells transfected with either pCMV6-ENTRY MMAB (Red) or empty vector control plasmid (Blue) by flow cytometry.

Flow Cytometry - Anti-MMAB antibody [3B8] (ab123907)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors