

Product datasheet

Anti-MAGEB18 antibody [6A5] ab124013

画像数 3

製品の概要

製品名	Anti-MAGEB18 antibody [6A5]
製品の詳細	Mouse monoclonal [6A5] to MAGEB18
アプリケーション	適用あり: WB, Flow Cyt, ICC/IF
種交差性	交差種: Human
免疫原	Recombinant full length protein corresponding to Human MAGEB18 (NP_775970) produced in HEK293T cells.
ポジティブ・コントロール	WB: HEK293T cells transfected with pCMV6-ENTRY MAGEB18 ICC/IF: COS7 cells transiently transfected using pCMV6-ENTRY MAGEB18 Flow Cyt: HEK293T cells transfected with pCMV6-ENTRY MAGEB18 overexpress plasmid
特記事項	Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.30 Preservative: 0.02% Sodium azide Constituents: 48% PBS, 50% Glycerol, 1% BSA
精製度	Protein G purified
特記事項 (精製)	ab124013 was purified from Mouse ascites fluids by affinity chromatography.
ポリ/モノ	モノクローナル
クローン名	6A5
アイソタイプ	IgG1

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab124013** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
WB		1/2000. Predicted molecular weight: 39 kDa.


Flow Cyt 1/100. [ab170190](#)-Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

ICC/IF 1/100.

ターゲット情報

配列類似性 Contains 1 MAGE domain.

Anti-MAGEB18 antibody [6A5] 画像



Western blot - Anti-MAGEB18 antibody [6A5]
([ab124013](#))


All lanes : Anti-MAGEB18 antibody [6A5]
([ab124013](#)) at 1/2000 dilution

Lane 1 : HEK293T cells transfected with
pCMV6-ENTRY control

Lane 2 : HEK293T cells transfected with
pCMV6-ENTRY MAGEB18


Predicted band size : 39 kDa

HEK293T cell lysates were generated from
transient transfection of the cDNA clone
(RC205100)



Immunocytochemistry/ Immunofluorescence - Anti-
MAGEB18 antibody [6A5] ([ab124013](#))

[ab124013](#), at a 1/100 dilution, staining
MAGEB18 in COS7 cells transiently
transfected using pCMV6-ENTRY MAGEB18,
by Immunofluorescence.



ab124013, at 1/100 dilution, staining MAGEB18 in HEK293T cells transfected with either MAGEB18 overexpress plasmid (Red), or empty vector control plasmid (Blue), by Flow Cytometry.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors