

## Product datasheet

# Anti-MAGEB18 antibody [6A5] ab124013

### 画像数 3

#### 製品の概要

|              |  |
|--------------|--|
| 製品名          | Anti-MAGEB18 antibody [6A5]  |
| 製品の詳細        | Mouse monoclonal [6A5] to MAGEB18  |
| 由来種          | Mouse  |
| アプリケーション     | <b>適用あり:</b> WB, Flow Cyt, ICC/IF  |
| 種交差性         | <b>交差種:</b> Human  |
| 免疫原          | Recombinant full length protein corresponding to Human MAGEB18 (NP_775970) produced in HEK293T cells.  |
| ポジティブ・コントロール | WB: HEK293T cells transfected with pCMV6-ENTRY MAGEB18 ICC/IF: COS7 cells transiently transfected using pCMV6-ENTRY MAGEB18 Flow Cyt: HEK293T cells transfected with pCMV6-ENTRY MAGEB18 overexpress plasmid |
| 特記事項         | Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt.   |

#### 製品の特性

|          |   |
|----------|---|
| 製品の状態    | Liquid  |
| 保存方法     | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.       |
| バッファー    | pH: 7.30<br>Preservative: 0.02% Sodium azide<br>Constituents: 48% PBS, 50% Glycerol, 1% BSA |
| 精製度      | Protein G purified  |
| 特記事項(精製) | ab124013 was purified from Mouse ascites fluids by affinity chromatography.                 |
| ポリ/モノ    | モノクローナル   |
| クローン名    | 6A5   |
| アイソタイプ   | IgG1  |

#### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab124013** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


| アプリケーション | Abreviews | 特記事項  |
|----------|-----------|---|
| WB       |           | 1/2000. Predicted molecular weight: 39 kDa.   |
| Flow Cyt |           | 1/100.<br><a href="#">ab170190</a> - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody. |
| ICC/IF   |           | 1/100.  |

## ターゲット情報

### 配列類似性

Contains 1 MAGE domain.

## 画像




**All lanes :** Anti-MAGEB18 antibody [6A5] (ab124013) at 1/2000 dilution

**Lane 1 :** HEK293T cells transfected with pCMV6-ENTRY control


**Lane 2 :** HEK293T cells transfected with pCMV6-ENTRY MAGEB18

**Predicted band size:** 39 kDa

HEK293T cell lysates were generated from transient transfection of the cDNA clone (RC205100)



ab124013, at a 1/100 dilution, staining MAGEB18 in COS7 cells transiently transfected using pCMV6-ENTRY MAGEB18, by Immunofluorescence.



ab124013, at 1/100 dilution, staining MAGEB18 in HEK293T cells transfected with either MAGEB18 overexpress plasmid (Red), or empty vector control plasmid (Blue), by Flow Cytometry.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors