

Human breast tissue lysate (ductal carcinoma) - soluble fraction (female, 54 years) ab43329

製品の概要

製品名	Human breast tissue lysate (ductal carcinoma) - soluble fraction (female, 54 years)
製品の詳細	Human breast soluble fraction lysate
特記事項	<p>Tissue: Breast Location: Right breast. Diagnosis: Invasive ductal carcinoma. Stage: IIA T₂N₀M₀ Grade: II Sex: Female Age: 54 years Gross findings: Tumor size 3 x 3 x 3.5 cm. Cut section hard and white/gray. Ipsilateral axillary lymph nodes examined: 12 Microscopic findings: Cancer in surgical margin of section: Negative Multifocal carcinoma: Negative Pectoral muscular/facia invasion: Negative Chest wall invasion: Negative Breast skin dermal invasion only: Negative Skin invasion with ulceration: Negative Dermal lymphatic channel invasion: Negative Lymphatic and/or blood vessel invasion: Negative Tumor necrosis: Positive Number of nodes positive: 0/12 Tubule formation: 3 Nuclear pleomorphism: 3 Mitotic activity: 1 Lymphocytic response: Positive Soluble protein fraction</p> <p>This product belongs to a range of individual sets of lysates that were extracted from very specific tissues and are gender-, cancer subtype-, tumor grade- and cellular morphology- specific. They allow for consistency, reproducibility, and comparative studies from experiment to experiment, due to the existence of specific (matched) lysates that can be used as controls. Two extractions from each tissue were performed, extraction 1 yielding the soluble protein fraction and extraction 2 the insoluble protein fraction. Please find below a range of products that relate to ab43329: Extraction 1: soluble protein fraction ab43329 Human breast tumor tissue lysate ab43328 Human breast normal tissue lysate (matched) Extraction 2: insoluble protein fraction ab43330 Human breast tumor tissue lysate ab43332 Human breast normal tissue lysate (matched)</p>

製品の特性

Mycoplasma free	Yes
製品の状態	Liquid
保存方法	Shipped on Dry Ice. Upon delivery aliquot. Store at -80°C. Avoid freeze / thaw cycle.
バッファー	pH: 7.40 Constituents: PBS, 0.0001% Pepstatin A, 0.018% Sodium orthovanadate, 0.004% Sodium fluoride, 0.0001% Aprotinin, 0.0001% Leupeptin, 0.25% Sodium deoxycholate, 0.017% PMSF, 0.1% SDS, 0.029% EDTA
特記事項 (精製)	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The lysate solution may appear turbid at cold temperatures due to insolubility

of buffer components. The solution should clear upon warming to room temperature.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors