

## Product datasheet

# Anti-Flt3 / CD135 antibody - Carboxyterminal end ab71771

### 画像数 2

#### 製品の概要

製品名	Anti-Flt3 / CD135 antibody - Carboxyterminal end
製品の詳細	Rabbit polyclonal to Flt3 / CD135 - Carboxyterminal end
由来種	Rabbit
アプリケーション	<b>適用あり:</b> ELISA, WB, IHC-P
種交差性	<b>交差種:</b> Human
免疫原	Synthetic peptide corresponding to Human Flt3/ CD135 (C terminal) conjugated to Keyhole Limpet Haemocyanin (KLH).
ポジティブ・コントロール	293 cell lysate Human breast carcinoma tissue

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: 0.09% Sodium Azide Constituents: PBS
精製度	Protein G purified
特記事項 (精製)	This antibody is purified through a protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS.
ポリモノ	ポリクローナル
アイソタイプ	IgG

#### アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab71771** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


アプリケーション	Abreviews	特記事項
ELISA		1/1000.

アプリケーション	Abreviews	特記事項
WB		1/100 - 1/500. Detects a band of approximately 113 kDa (predicted molecular weight: 113 kDa).
IHC-P		1/50 - 1/100.

## ターゲット情報

機能	Receptor for the FL cytokine. Has a tyrosine-protein kinase activity.
組織特異性	Bone marrow cells.
配列類似性	Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor subfamily. Contains 1 Ig-like C2-type (immunoglobulin-like) domain. Contains 1 protein kinase domain.
細胞内局在	Membrane.

## 画像



Anti-Flt3 / CD135 antibody - Carboxyterminal end (ab71771) at 1/100 dilution + 293 cell lysate at 12.5 µg

### Secondary


Anti rabbit HRP

Developed using the ECL technique.

**Predicted band size:** 113 kDa

**Observed band size:** 113 kDa

**Additional bands at:** 35 kDa, 49 kDa, 74 kDa. We are unsure as to the identity of these extra bands.



Formalin-fixed and paraffin-embedded human breast carcinoma tissue labelled with ab71771 at 1/50 dilution followed by use of a peroxidase-conjugated secondary antibody and AEC staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Flt3 / CD135 antibody - Carboxyterminal end (ab71771)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors