


Product datasheet

Anti-FBXO16 antibody ab74722

画像数 1

製品の概要

| | |
|--------------|---|
| 製品名 | Anti-FBXO16 antibody |
| 製品の詳細 | Rabbit polyclonal to FBXO16 |
| 由来種 | Rabbit |
| アプリケーション | 適用あり: WB, ELISA |
| 種交差性 | 交差種: Human 交差が予測される動物種: Mouse, Rat, Rabbit, Horse, Guinea pig, Cow, Cat, Dog  |
| 免疫原 | A synthetic peptide corresponding to a region of Human FBXO16 |
| ポジティブ・コントロール | Fetal brain cell lysate. |

製品の特性

| | |
|--------|---|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| バッファー | Preservative: None Constituents: 2% Sucrose, PBS |
| 精製度 | Immunogen affinity purified |
| ポリ/モノ | ポリクローナル |
| アイソタイプ | IgG |

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab74722** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| WB | | Use a concentration of 1 µg/ml. Detects a band of approximately 35 kDa (predicted molecular weight: 35 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T. |


| アプリ ケーション | Abreviews | 特記事項 |
|--------------|-----------|------|
|--------------|-----------|------|

ELISA
 Use at an assay dependent concentration.
 Titre using peptide based assay: 1/312500.

ターゲット情報

関連性
 FBXO16 is a member of the F-box protein family, members of which are characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. FBXO16 probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation. It is expressed in heart, spleen and colon.

画像



Anti-FBXO16 antibody (ab74722) at 1 µg/ml
 (in 5% skim milk / PBS buffer) + Fetal brain
 cell lysate at 10 µg

Secondary

HRP conjugated anti-Rabbit IgG at 1/50000
 dilution

Predicted band size: 35 kDa

Observed band size: 35 kDa

Additional bands at: 60 kDa. We are unsure
 as to the identity of these extra bands.

Gel concentration: 12%

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors