

Product datasheet

Anti-KIAA1199 antibody ab76849

★★★★☆ 2 Abreviews 2 References 画像数 1

製品の概要

製品名	Anti-KIAA1199 antibody
製品の詳細	Mouse monoclonal to KIAA1199
由来種	Mouse
アプリケーション	適用あり: ICC/IF, ELISA, WB
種交差性	交差種: Human, Recombinant fragment 交差が予測される動物種: Mouse
免疫原	Recombinant tagged fragment: LYDGPINIQN CTFRKFVALE GRHTSALAFR LNNAWQSCPH NNVTGIAFED VPITSRVFFG EPGPWFNQLD MDGDKTSVFH DVDGSVSEYP GSYLTKNDNW , corresponding to amino acids 880-980 of Human KIAA1199 Run BLAST with ExPASy Run BLAST with NCBI
特記事項	Abcam is committed to meeting high standards of ethical manufacturing and has decided to discontinue this product by July 2018 as it has been generated by the ascites method. We are sorry for any inconvenience this may cause.

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: 1X PBS, pH 7.2
精製度	Protein A purified
ポリ/モノ	モノクローナル
アイソタイプ	IgG2a
軽鎖の種類	kappa

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab76849** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
ICC/IF	★★★★☆	
ELISA		
WB	★★★★☆	

追加情報

ELISA: Use at an assay dependent dilution.

WB: Use at a concentration of 1 - 5 µg/ml. Predicted molecular weight: 153 kDa.

This antibody has only been tested in WB against the recombinant fragment used as immunogen. We have no data on the detection of endogenous protein.

Not yet tested in other applications.


Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報

関連性

KIAA1199 belongs to the TMEM2 family and contains 4 PbH1 repeats. It is expressed in the inner ear. It is expressed in cochlea and vestibule tissues and it may be involved in hearing. Defects in KIAA1199 may be a cause of non-syndromic hearing loss. It is also thought that KIAA1199 is a tumor suppressor that may be involved in establishing cellular mortality in normal human cells.

画像



Anti-KIAA1199 antibody (ab76849) at 5 µg/ml
+ immunogen at 0.2 µg

Secondary

Goat Anti-Mouse IgG (H&L)-HRP Conjugate at
1/5000 dilution

Developed using the ECL technique.

Predicted band size: 153 kDa

Observed band size: 37 kDa

The observed band size does not correspond to the predicted protein molecular weight as the immunogen (recombinant fragment) was used for the test lane.

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors