


Product datasheet

Anti-PU.1/Spi1 antibody ab77436

1 Abreviews 画像数 1

製品の概要

製品名	Anti-PU.1/Spi1 antibody
製品の詳細	Goat polyclonal to PU.1/Spi1
由来種	Goat
特異性	Expected to recognise both reported isoforms of PU.1/Spi1 (NP_001074016.1; NP_003111.2).
アプリケーション	適用あり: WB, ELISA
種交差性	交差種: Human 交差が予測される動物種: Horse, Cow, Dog, Pig, Chimpanzee, Macaque monkey 
免疫原	Synthetic peptide: C-DLYQRQTHEY , corresponding to internal sequence amino acids 27-37 of Human PU.1/Spi1 isoform 1 (NP_001074016.1) and 27-37 of isoform 2 (NP_003111.2)

 [Run BLAST with](#)

 [Run BLAST with](#)

ポジティブ・コントロール

[ウェスタン・プロット用ポジティブコントロール
Recombinant Human PU.1/Spi1 protein](#) >

DAUDI or K562 cells nuclear lysate

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: 0.02% Sodium Azide Constituents: 0.5% BSA, Tris buffered saline, pH 7.3
精製度	Immunogen affinity purified
特記事項 (精製)	Purified from goat serum by ammonium sulphate precipitation, followed by antigen affinity chromatography using the immunizing peptide.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab77436** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリケーション	Abreviews	特記事項
----------	-----------	------

WB

ELISA

追加情報

ELISA: Use at an assay dependent dilution. Antibody detection limit dilution: 1/32000.

WB: Use at a concentration of 0.03 - 0.1 µg/ml. Detects a band of approximately 40 kDa (predicted molecular weight: 31 kDa).

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

ターゲット情報

機能

Binds to the PU-box, a purine-rich DNA sequence (5'-GAGGAA-3') that can act as a lymphoid-specific enhancer. This protein is a transcriptional activator that may be specifically involved in the differentiation or activation of macrophages or B-cells. Also binds RNA and may modulate pre-mRNA splicing.

配列類似性

Belongs to the ETS family.
Contains 1 ETS DNA-binding domain.

細胞内局在

Nucleus.

画像



Anti-PU.1/Spi1 antibody (ab77436) at 0.03 µg/ml + DAUDI lysate at 35 µg

Developed using the ECL technique.

Predicted band size: 31 kDa

Observed band size: 40 kDa

Primary antibody incubation: 1 hour

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors