

Product datasheet

Anti-SSX2IP antibody ab81237

画像数 3

製品の概要

製品名	Anti-SSX2IP antibody
製品の詳細	Rabbit polyclonal to SSX2IP
由来種	Rabbit
アプリケーション	適用あり: IHC-P, WB
種交差性	交差種: Human 交差が予測される動物種: Mouse, Rat, Rabbit, Horse, Guinea pig, Cow, Cat, Dog
免疫原	Synthetic peptide: KVHLEGFNDE DVISRQDHEQ ETEKLELEIQ QCKEMIKTQQ QLLQQQLATA , corresponding to internal sequence amino acids 362 - 411 of Human SSX2IP (NP_054740) Run BLAST with ExPASy Run BLAST with NCBI
ポジティブ・コントロール	721_B cell lysate

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: None Constituents: 2% Sucrose, PBS
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab81237** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


アプリケーション	Abreviews	特記事項
IHC-P		Use a concentration of 5 µg/ml.

アプリケーション	Abreviews	特記事項
WB		Use a concentration of 1 µg/ml. Predicted molecular weight: 71 kDa. Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.

ターゲット情報

機能	Belongs to an adhesion system, which plays a role in the organization of homotypic, interneuronal and heterotypic cell-cell adherens junctions (AJs). May connect the nectin-afadin and E-cadherin-catenin system through alpha-actinin and may be involved in organization of the actin cytoskeleton at AJs through afadin and alpha-actinin.
組織特異性	Widely expressed, with the highest expression in brain, intermediate expression in kidney, testis, spinal cord, liver, heart, lung, skeletal muscle, ovary, fetal liver and fetal brain, and little to no expression in pancreas and spleen. All specific brain regions showed intermediate to high expression, with highest expression in amygdala. Also expressed in fetal tissues, mainly in liver and brain.
ドメイン	Both the N-terminal (up to position 79) and the C-terminal (from position 304) sequences are required for interaction with SSX2.
細胞内局在	Cell junction > adherens junction. Nucleus. Not found at cell-matrix AJs.

画像



Anti-SSX2IP antibody (ab81237) at 1 µg/ml +
721_B cell lysate at 10 µg


Secondary

HRP conjugated anti-Rabbit IgG at 1/50000
dilution

Predicted band size: 71 kDa


Observed band size: 71 kDa

Additional bands at: 41 kDa. We are unsure
as to the identity of these extra bands.



ab81237 at 5 µg/ml staining SSX2IP in Human kidney tissue by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-SSX2IP antibody (ab81237)



ab81237 at 5 µg/ml staining SSX2IP in Human small intestine tissue by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-SSX2IP antibody (ab81237)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors