

Product datasheet

Anti-liver Arginase antibody ab96183

1 Abreviews 画像数 3

製品の概要

製品名	Anti-liver Arginase antibody
製品の詳細	Rabbit polyclonal to liver Arginase
由来種	Rabbit
アプリケーション	適用あり: WB, IHC-P, ICC/IF
種交差性	交差種: Human 交差が予測される動物種: Mouse, Rat, Rabbit, Cow, Pig 
免疫原	Recombinant fragment containing a sequence corresponding to a region within amino acids 1-292 of Human liver Arginase (NP_000036).
ポジティブ・コントロール	Raji whole cell lysate; HeLa cells; Cal27 xenograft; 293T, A431, H1299, HepG2 and Molt-4 cell lines

法規制情報

**医薬用外毒物**

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 10% Glycerol, 1.21% Tris, 0.75% Glycine
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

Our [Abpromise guarantee](#) covers the use of **ab96183** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

アプリ ケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 35 kDa.
IHC-P		1/100 - 1/500. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. For antigen retrieval, either 10mM Citrate buffer(PH6.0) or Tris-EDTA buffer (PH8.0) will be effective.
ICC/IF		1/100 - 1/200.

## ターゲット情報

### パスウェイ

Nitrogen metabolism; urea cycle; L-ornithine and urea from L-arginine: step 1/1.

### 関連疾患

Defects in ARG1 are the cause of argininemia (ARGIN) [MIM:207800]; also known as hyperargininemia. Argininemia is a rare autosomal recessive disorder of the urea cycle. Arginine is elevated in the blood and cerebrospinal fluid, and periodic hyperammonemia occurs. Clinical manifestations include developmental delay, seizures, mental retardation, hypotonia, ataxia, progressive spastic quadriplegia.


### 配列類似性

Belongs to the arginase family.

### 細胞内局在

Cytoplasm.

## 画像




Anti-liver Arginase antibody (ab96183) at  
1/3000 dilution + Raji whole cell lysate at 30  
µg

**Predicted band size:** 35 kDa


10% SDS-PAGE

Western blot - Anti-liver Arginase antibody (ab96183)



ab96183, at 1/200 dilution, staining paraformaldehyde-fixed HeLa cells by Immunofluorescence. Lower image is merged with DNA probe.

Immunocytochemistry/ Immunofluorescence - Anti-liver Arginase antibody (ab96183)



ab96183, at 1/500 dilution, staining liver Arginase in paraffin-embedded Cal27 xenograft by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-liver Arginase antibody (ab96183)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors