abcam

Product datasheet

Epithelial-Mesenchymal Transition (Beta Catenin, Vimentin) Western Blot Cocktail ab157392

2 References 画像数 2

製品の概要

製品名 Epithelial-Mesenchymal Transition (Beta Catenin, Vimentin) Western Blot Cocktail

サンプルの種類 Cell Lysate

種交差性 交差種: Human

非交差種: Mouse, Rat

製品の概要

This Epithelial-Mesenchymal Transition (EMT) western blot cocktail is designed to determine the relative abundance of canonical EMT markers. EMT is a process in which a cell transitions from an epithelial-like (attached, polarized) state to a mesenchymal-like (unattached, migratory) state and such transitions occur during development and metastasis. Underlying the morphological cell changes during EMT are transcription factor programs, biochemical cascades and alterations to the cytoskeleton. Beta-Catenin is a transcription factor in the Wnt signaling pathway and is involved in the regulation of cell adhesion; beta-Catenin is typically more abundant in epithelial-like cells. Vimentin is an intermediate filament typically found in non-epithelial and mesenchymal cells. Alpha Smooth Muscle Actin and GAPDH are also included in this cocktail as loading controls (Alpha Smooth Muscle Actin is reported to be more highly expressed in mesenchymal-like cells, but we find it to be widely expressed in transformed cell lines).

These four readouts are easily resolved by western blot given their different molecular weights. Because this western blot cocktail is a mix of rabbit and mouse monoclonal primary antibodies.

A secondary antibody cocktail of HRP conjugated antibodies (anti-mouse and anti-rabbit) is provided.

Expected and observed MWs:

Beta-Catenin 92kDa Vimentin 54kDa Smooth Muscle Actin 42kDa GAPDH 36kDa

アプリケーション **適用あり**: WB

製品の特性

保存方法

Store at -20°C. Please refer to protocols.

1


内容	200 μΙ
2500X HRP Conjugated Secondary Antibody Cocktail	1 vial
250X EMT WB Cocktail	1 vial

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab157392の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Expected and observed MWs: Beta-Catenin 92kDa Vimentin 54kDa Smooth Muscle Actin 42kDa

画像



Primary antibody: all lanes EMT WB cocktail (ab157392) diluted to 1X in 4% milk/PBS.

Lane 1. MDA-MB-231 cell lysate


Lane 2. SH SY5Y cell lysate

Lane 3. HeLa cell lysate

Lane 4. Jurkat cell lysate.

All lysates loaded 20 μ g per lane. Lysates were generated in RIPA lysis buffer (<u>ab156034</u>) and briefly boiled in sample buffer before loading on SDS-PAGE.

Secondary antibody: All lanes using the included HRP Conjugated Secondary Antibody Cocktail (included with ab157392) diluted to 1X in 5% milk/PBS.



Western blot of ab157392 tested on breast cancer cell lines MCF7 and MDA-MB-231.

MCF7 is epithelial-like and MDA-MB-231 cells are mesenchymallike based on the relative expression of beta-Catenin and Vimentin between the cell lines.

Primary antibody: all lanes EMT WB cocktail diluted to 1X in 5% milk/PBS.

Lane 1. MCF7 cell lysate

Lane 2. MDA-MB-231 cell lysate

All lysates loaded 20 μg per lane. Lysates were generated in SDS lysis buffer and briefly boiled in sample buffer before loading on SDS-PAGE.

Secondary antibody: All lanes using the included HRP Conjugated Secondary Antibody Cocktail (included with ab157392) diluted to 1X in 5% milk/PBS.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors