abcam

Product datasheet

Anti-ADO antibody [EPR6581] ab134102

יעלאעבע RabMAb

画像数 2

製品の概要

製品名 Anti-ADO antibody [EPR6581]

製品の詳細 Rabbit monoclonal [EPR6581] to ADO

由来種 Rabbit

アプリケーション **適用あり:** WB

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール WB: HeLa, HEK-293, and A-673 whole cell lysates.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

バッファー pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 59% PBS, 40% Glycerol, 0.05% BSA

精製度 Protein A purified

ポリ/モノ モノクローナル

クローン名 EPR6581

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab134102の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/10000. Detects a band of approximately 28-30 kDa (predicted molecular weight: 29 kDa).

ターゲット情報

製品の状態

ADO adds 2 oxygen atoms to free cysteamine to form hypotaurine in the catalytic reaction: 2-aminoethanethiol + O2 = hypotaurine. Mitochondrial protein predicted by Entrez gene.

画像



Western blot - Anti-ADO antibody [EPR6581] (ab134102)

All lanes : Anti-ADO antibody [EPR6581] (ab134102) at 1/1000 dilution (Purified)

Lane 1 : HeLa (Human cervix adenocarcinoma epithelial cell) whole cell lysate

Lane 2 : HEK-293 (Human embryonic kidney epithelial cell) whole cell lysate

Lane 3: A-673 (Human muscle Ewing's Sarcoma) whole cell lysate

Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit lgG H&L (HRP) (<u>ab97051</u>) at 1/20000 dilution

Predicted band size: 29 kDa

Observed band size: 28-30 kDa

Blocking/Diluting buffer: 5% NFDM/TBST



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors