# abcam

# Product datasheet

# Alexa Fluor® 488 Anti-Acetyl Coenzyme A Carboxylase antibody [EPR4971] ab203994

ייבעבעדער RabMAb

## 画像数 2

#### 製品の概要

製品名 Alexa Fluor® 488 Anti-Acetyl Coenzyme A Carboxylase antibody [EPR4971]

製品の詳細 Alexa Fluor® 488 Rabbit monoclonal [EPR4971] to Acetyl Coenzyme A Carboxylase

由来種 Rabbit

標識 Alexa Fluor® 488, Ex: 495nm, Em: 519nm

アプリケーション 適用あり: ICC/IF 種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

Synthetic peptide within Human Acetyl Coenzyme A Carboxylase (N terminal). The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please

contact our Scientific Support team to discuss your requirements.

Database link: Q13085

Run BLAST with Run BLAST with

ポジティブ・コントロール

特記事項

免疫原

ICC/IF: HepG2 cells.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor<sup>®</sup> is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which

may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

**バッファー** pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

精製度 Protein A purified

**ポリ/モノ** モノクローナル

**クローン名** EPR4971

アイソタイプ IgG

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab203994の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/1000. This product gave a positive signal in HepG2 cells fixed with 100% methanol (5 min).

#### ターゲット情報

機能 Catalyzes the rate-limiting reaction in the biogenesis of long-chain fatty acids. Carries out three

functions: biotin carboxyl carrier protein, biotin carboxylase and carboxyltransferase.

組織特異性 Expressed in brain, placental, skeletal muscle, renal, pancreatic and adipose tissues; expressed

at low level in pulmonary tissue; not detected in the liver.

Lipid metabolism; malonyl-CoA biosynthesis; malonyl-CoA from acetyl-CoA: step 1/1.


**関連疾患** Acetyl-CoA carboxylase 1 deficiency

配列類似性 Contains 1 ATP-grasp domain.

Contains 1 biotin carboxylation domain. Contains 1 biotinyl-binding domain. Contains 1 carboxyltransferase domain.

翻訳後修飾 Phosphorylation on Ser-1263 is required for interaction with BRCA1.

#### 画像



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-Acetyl Coenzyme A Carboxylase antibody [EPR4971] (ab203994)

ab203994 staining Acetyl Coenzyme A carboxylase in HepG2 cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab203994 at a 1/1000 dilution (shown in green) and <a href="mailto:ab195889">ab195889</a>, Mouse monoclonal to alpha Tubulin (Alexa Fluor<sup>®</sup> 594), at a 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, TCS SP8).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors