abcam

Product datasheet

Alexa Fluor® 488 Anti-delta 1 Catenin/CAS antibody [YE372] ab202913

יובעדער RabMAb

画像数 2

製品の概要

製品名 Alexa Fluor® 488 Anti-delta 1 Catenin/CAS antibody [YE372]

製品の詳細 Alexa Fluor® 488 Rabbit monoclonal [YE372] to delta 1 Catenin/CAS

由来種 Rabbit

標識 Alexa Fluor® 488, Ex: 495nm, Em: 519nm

アプリケーション 適用あり: ICC/IF 種交差性 交差種: Human

免疫原 Synthetic peptide within Human delta 1 Catenin/CAS (N terminal). The exact sequence is

proprietary. Before aa101 of Human delta 1 Catenin/CAS (isoform 1ABC, 968AA).

Database link: O60716

ポジティブ・コントロール ICC/IF: HeLa cells.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit 特記事項 monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

> Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc., a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor® dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

outlicensing@thermofisher.com.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

精製度 Protein A purified

ポリ/モノ モノクローナル

ウローン名 YE372 **Pイソタイプ** IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab202913の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/200. This product gave a positive signal in HeLa cells fixed with 100% methanol (5 min).

ターゲット情報

機能	Binds to and inhibits the transcriptional repressor ZBTB33, which may lead to activation of target genes of the Wnt signaling pathway (By similarity). May associate with and regulate the cell adhesion properties of both C- and E-cadherins. Implicated both in cell transformation by SRC and in ligand-induced receptor signaling through the EGF, PDGF, CSF-1 and ERBB2 receptors. Promotes GLIS2 C-terminal cleavage.
組織特異性	Expressed in vascular endothelium.
配列類似性	Belongs to the beta-catenin family.
	Contains 10 ARM repeats.


ドメイン A possible nuclear localization signal exists in all isoforms where Asp-626--631-Arg are deleted.

翻訳後修飾 Phosphorylated by protein-tyrosine kinases. Dephosphorylated by PTPRJ.

細胞内局在 Cytoplasm. Nucleus. Cell membrane. Interaction with GLIS2 promotes nuclear translocation (By

similarity). NANOS1 induces its translocation from sites of cell-cell contact to the cytoplasm.

画像



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 488 Anti-delta 1 Catenin/CAS antibody [YE372] (ab202913)

ab202913 staining delta 1 Catenin/CAS in HeLa cells. The cells were fixed with 100% methanol (5min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab202913 at 1/200 dilution (shown in green) and **ab195889**, Mouse monoclonal to alpha Tubulin (Alexa Fluor[®] 594), at 1/250 dilution (shown in red). Nuclear DNA was labelled with DAPI (shown in blue).

Image was taken with a confocal microscope (Leica-Microsystems, $TCS\ SP8$).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors