abcam

Product datasheet

Alexa Fluor® 647 Anti-ERK1 + ERK2 antibody [EPR17526] ab208881

יובעדער RabMAb

画像数 2

製品の概要

製品名 Alexa Fluor® 647 Anti-ERK1 + ERK2 antibody [EPR17526]

製品の詳細 Alexa Fluor® 647 Rabbit monoclonal [EPR17526] to ERK1 + ERK2

由来種 Rabbit

標識 Alexa Fluor® 647. Ex: 652nm. Em: 668nm

アプリケーション 適用あり: ICC/IF 種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat 🔷

Recombinant fragment within Human ERK1 + ERK2 aa 150 to the C-terminus. The exact 免疫原

> immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please

contact our Scientific Support team to discuss your requirements.

Database link: P28482

Run BLAST with Run BLAST with

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific Company. The Alexa Fluor® dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor® dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to

特記事項

provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@thermofisher.com.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Stable for 12 months at -20°C. Store In the Dark.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 30% Glycerol (glycerin, glycerine), 1% BSA

精製度 Protein A purified

ポリ(モノ) モノクローナル **クローン名** EPR17526

アイソタイプ IgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab208881の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ICC/IF		1/100. This product gave a positive signal in A431 cells fixed with 100% methanol (5 min)

ターゲット情報

機能 Involved in both the initiation and regulation of meiosis, mitosis, and postmitotic functions in

differentiated cells by phosphorylating a number of transcription factors such as ELK1. Phosphorylates EIF4EBP1; required for initiation of translation. Phosphorylates microtubule-

associated protein 2 (MAP2). Phosphorylates SPZ1 (By similarity). Phosphorylates heat shock

factor protein 4 (HSF4) and ARHGEF2.

Acts as a transcriptional repressor. Binds to a [GC]AAA[GC] consensus sequence. Repress the expression of interferon gamma-induced genes. Seems to bind to the promoter of CCL5, DMP1, IFIH1, IFITM1, IRF7, IRF9, LAMP3, OAS1, OAS2, OAS3 and STAT1. Transcriptional activity is

independent of kinase activity.

配列類似性 Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. MAP kinase

subfamily.

Contains 1 protein kinase domain.

ドメイン The TXY motif contains the threonine and tyrosine residues whose phosphorylation activates the

MAP kinases.


翻訳後修飾 Dually phosphorylated on Thr-185 and Tyr-187, which activates the enzyme. Dephosphorylated by

PTPRJ at Tyr-187.

細胞内局在 Nucleus.


製品の状態 Mainly expressed in the cytoplasm and only localizes to the nucleus with treatment.

画像



Immunocytochemistry/ Immunofluorescence - Alexa Fluor® 647 Anti-ERK1 + ERK2 antibody [EPR17526] (ab208881) ab208881 staining ERK1 + ERK2 in A431 cells. The cells were fixed with 100% methanol (5 min), permeabilized with 0.1% Triton X-100 for 5 minutes and then blocked with 1% BSA/10% normal goat serum/0.3Mglycine in 0.1% PBS-Tween for 1h. The cells were then incubated overnight at +4°C with ab208881 at a 1/100 dilution (shown in red) and ab195887, Mouse monoclonal to alpha Tubulin (Alexa Fluor® 488), at a 1/250 dilution (shown in green). Nuclear DNA was labelled with DAP (shown in blue).

Image was taken with a confocal microscope (Leica-Mcrosystems, TCS SP8).



[EPR17526] (ab208881)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors