# abcam

#### Product datasheet

## Anti-Alpha 1 Acid Glycoprotein/AGP antibody ab118809

1 References 画像数 1

製品の概要

製品名 Anti-Alpha 1 Acid Glycoprotein/AGP antibody

製品の詳細 Rabbit polyclonal to Alpha 1 Acid Glycoprotein/AGP

由来種 Rabbit

 アプリケーション
 適用あり: IHC-P

 種交差性
 交差種: Human

免疫原 Full length native protein (purified) corresponding to Human Alpha 1 Acid Glycoprotein/AGP.

ポジティブ・コントロール Human Liver tissue.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term.

**バッファー** pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 0.424% Potassium phosphate, 0.88% Sodium chloride

精製度 IgG fraction ポリクローナル

アイソタイプ IgG

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab118809の使用に適用されます


#### アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項   |
|----------|-----------|--|
| IHC-P    |           | Use a concentration of 5 µg/ml. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. |

#### ターゲット情報

| 機能    | Appears to function in modulating the activity of the immune system during the acute-phase reaction. |
|-------|--|
| 組織特異性 | Expressed by the liver and secreted in plasma.   |
| 配列類似性 | Belongs to the calycin superfamily. Lipocalin family.  |
| 細胞内局在 | Secreted.  |

#### 画像



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Alpha 1 Acid
Glycoprotein/AGP antibody (ab118809)

ab118809, at 5  $\mu$ g/ml, staining Alpha 1 Acid Glycoprotein/AGP in formalin-fixed, paraffin-embedded Human Liver tissue by Immunohistochemistry followed by biotinylated secondary antibody, alkaline phosphatase-streptavidin and chromogen.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors