


Anti-AMY-1 antibody [2601C2_2a] ab84847

画像数 1

製品の概要

製品名	Anti-AMY-1 antibody [2601C2_2a]
製品の詳細	Mouse monoclonal [2601C2_2a] to AMY-1
由来種	Mouse
アプリケーション	適用あり: WB
種交差性	交差種: Recombinant fragment 交差が予測される動物種: Human 
免疫原	Recombinant fragment corresponding to Human AMY-1 aa 32-97.
ポジティブ・コントロール	immunising recombinant fragment
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	Preservative: 0.05% Sodium azide Constituents: 1% BSA, PBS
精製度	Protein G purified
特記事項(精製)	Purified from culture supernatant of hybridoma cultured in a medium containing bovine IgG-depleted (approximately 95%) fetal bovine serum. Filtered through a 0.22 µm membrane.
ポリ/モノ	モノクローナル
クローン名	2601C2_2a
アイソタイプ	IgG1

アプリケーション


The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab84847の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Predicted molecular weight: 12 kDa.

ターゲット情報

機能	May control the transcriptional activity of MYC. Stimulates the activation of E box-dependent transcription by MYC.
組織特異性	Highly expressed in heart, placenta, pancreas, skeletal muscle and kidney. Also present at low levels in lung.
配列類似性	Belongs to the AMY1 family.
細胞内局在	Cytoplasm. Nucleus. Mitochondrion. Translocates into the nucleus in the S phase of the cell cycle upon an increase of MYC expression. Found in the mitochondria when associated with AKAP1.

画像



Anti-AMY-1 antibody [2601C2_2a] (ab84847) + immunogen
(Human recombinant fragment)

Predicted band size: 12 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors