# abcam

# Product datasheet

# APC/Cy7® Anti-CD45R antibody [RA3-6B2] ab79107

## 画像数1

#### 製品の概要

製品名 APC/Cy7® Anti-CD45R antibody [RA3-6B2]

製品の詳細 APC/Cy7® Rat monoclonal [RA3-6B2] to CD45R

由来種 Rat

標識 APC/Cy7®. Ex: 650nm, Em: 774nm

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Mouse

免疫原 Tissue, cells or virus corresponding to Mouse CD45R. Abelson murine leukemia virus-induced

pre-B tumor cells

ポジティブ・コントロール Cells from murine mesenteric lymph nodes.

特記事項 This product or portions thereof is manufactured under license from Carnegie Mellon University

under U.S. Patent Number 5, 268, 486 and related patents. Cy® and CyDye® are trademarks of

Cytiva.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C.

**バッファー** pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: 0.14% Monobasic dihydrogen sodium phosphate, 0.87% Sodium chloride, 0.1%

Gelatin

Stabilizing agent.

精製度 Affinity purified

1

特記事項(精製) Purified from TCS

**ポリ/モノ** モノクローナル

**クローン名** RA3-6B2

アイソタイプ lgG2a

軽鎖の種類 kappa

#### アプリケーション

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab79107の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		Use at an assay dependent concentration.

#### ターゲット情報

機能 Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor.

Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain

has enzymatic activity, while the second one seems to affect the substrate specificity of the first

one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN.

**関連疾患** Defects in PTPRC are a cause of severe combined immunodeficiency autosomal recessive T-

cell-negative/B-cell-positive/NK-cell-positive (T(-)B(+)NK(+) SCID) [MIM:608971]. A form of severe combined immunodeficiency (SCID), a genetically and clinically heterogeneous group of rare congenital disorders characterized by impairment of both humoral and cell-mediated immunity, leukopenia, and low or absent antibody levels. Patients present in infancy recurrent,

persistent infections by opportunistic organisms. The common characteristic of all types of SCID

is absence of T-cell-mediated cellular immunity due to a defect in T-cell development.

Genetic variations in PTPRC are involved in multiple sclerosis susceptibility (MS) [MIM:126200]. MS is a neurodegenerative disorder characterized by the gradual accumulation of focal plaques of demyelination particularly in the periventricular areas of the brain. Peripheral nerves are not affected. Onset usually in third or fourth decade with intermittent progression over an extended

period. The cause is still uncertain.

配列類似性 Belongs to the protein-tyrosine phosphatase family. Receptor class 1/6 subfamily.

Contains 2 fibronectin type-III domains.


Contains 2 tyrosine-protein phosphatase domains.

ドメイン The first PTPase domain interacts with SKAP1.

翻訳後修飾 Heavily N- and O-glycosylated.

**細胞内局在** Membrane . Membrane raft. Colocalized with DPP4 in membrane rafts.

#### 画像



Flow cytometry of C57Bl/6 splenocytes labeling CD45R with ab79107 at 0.25  $\mu$ g (solid line), or Rat IgG2a isotype control at 0.25  $\mu$ g (dashed line).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors