


### Anti-Apo-H antibody [EPR2898(2)] ab108348

リコンビナント RabMAb<sup>®</sup>

#### 3 References [画像数 3](#)

#### 製品の概要

製品名	Anti-Apo-H antibody [EPR2898(2)]
製品の詳細	Rabbit monoclonal [EPR2898(2)] to Apo-H
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, ICC/IF <b>適用なし:</b> Flow Cyt or IHC-P
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Rat 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
ポジティブ・コントロール	Human fetal liver, Human plasma, human fetal kidney, and HDL lysates, HepG2 cells
特記事項	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> For more information <a href="#">see here</a> . Our RabMAb <sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a> .

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue culture supernatant
精製度	Tissue culture supernatant
ポリ/モノ	モノクローナル
クローン名	EPR2898(2)

## アプリケーション

**The Abpromise guarantee** **Abpromise保証は、次のテスト済みアプリケーションにおけるab108348の使用に適用されず**  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/10000 - 1/50000. Predicted molecular weight: 38 kDa.
ICC/IF		1/100.

## 追加情報

Is unsuitable for Flow Cyt or IHC-P.

## ターゲット情報

## 機能

Binds to various kinds of negatively charged substances such as heparin, phospholipids, and dextran sulfate. May prevent activation of the intrinsic blood coagulation cascade by binding to phospholipids on the surface of damaged cells.

## 組織特異性

Expressed by the liver and secreted in plasma.

## 配列類似性

Contains 4 Sushi (CCP/SCR) domains.


## 翻訳後修飾

N- and O-glycosylated. PubMed:6587378 also reports glycosylation on 'Asn-188' for their allele.

## 細胞内局在


Secreted.

## 画像



Immunofluorescent staining of HepG2 cells using ab108348 at a dilution of 1/100.

Immunocytochemistry/ Immunofluorescence - Anti-Apo-H antibody [EPR2898(2)] (ab108348)



Western blot - Anti-Apo-H antibody [EPR2898(2)] (ab108348)

**All lanes** : Anti-Apo-H antibody [EPR2898(2)] (ab108348) at 1/10000 dilution

**Lane 1** : Human fetal liver lysate

**Lane 2** : Human plasma lysate





**Lane 3** : Human fetal kidney lysate

**Lane 4** : HDL lysate

Lysates/proteins at 10 µg per lane.

**Predicted band size:** 38 kDa

Why choose a recombinant antibody?

 <b>Research with confidence</b> Consistent and reproducible results	 <b>Long-term and scalable supply</b> Recombinant technology
 <b>Success from the first experiment</b> Confirmed specificity	 <b>Ethical standards compliant</b> Animal-free production

Anti-Apo-H antibody [EPR2898(2)] (ab108348)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors