abcam

Product datasheet

Anti-B MyB (phospho S577 + S581) antibody ab61000

2 References 画像数 1

製品の概要

製品名 Anti-B MyB (phospho S577 + S581) antibody

製品の詳細 Rabbit polyclonal to B MyB (phospho S577 + S581)

由来種 Rabbit

アプリケーション **適用あり**: WB

種交差性 交差種: Human

交差が予測される動物種: Rat 🗥

免疫原 Synthetic peptide corresponding to Human B MyB (phospho S577 + S581).

Database link: P10244

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquic

保存方法 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

バッファー pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: PBS, 50% Glycerol (glycerin, glycerine), 0.87% Sodium chloride

Without Mg2+ and Ca2+

精製度 Immunogen affinity purified

特記事項(精製) Affinity purified from rabbit antiserum by affinity-chromatography using epitope-specific

phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography

using non-phosphopeptide corresponding to the phosphorylation site.

ポリ/モノ ポリクローナル

アイソタイプ IgG

1

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab61000の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/1000. Detects a band of approximately 79 kDa (predicted molecular weight: 79 kDa).

ターゲット情報

機能 Transcription factor involved in the regulation of cell survival, proliferation, and differentiation.

Transactivates the expression of the CLU gene.


配列類似性 Contains 3 HTH myb-type DNA-binding domains.

翻訳後修飾 Phosphorylated by cyclin A/CDK2 during S-phase. Phosphorylation at Thr-520 is probably

involved in transcriptional activity.

細胞内局在 Nucleus.

画像



Western blot - Anti-B MyB (phospho S577 + S581) antibody (ab61000)

All lanes : Anti-B MyB (phospho S577 + S581) antibody

(ab61000) at 1/500 dilution

Lane 1: extracts from K562 cells

Lane 2: extracts from K562 cells with immunizing phosphopeptide

Predicted band size: 79 kDa **Observed band size:** 79 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors