

Anti-BCAS3 antibody ab106637

画像数 2

製品の概要

製品名	Anti-BCAS3 antibody
製品の詳細	Rabbit polyclonal to BCAS3
由来種	Rabbit
アプリケーション	適用あり: IHC-P, WB
種交差性	交差種: Rat
免疫原	18 amino acid peptide near the amino terminus of Human BCAS3 (EAW51415).
ポジティブ・コントロール	WB: Rat brain tissue lysate. IHC-P: Rat brain tissue.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at 4°C (stable for up to 12 months).
バッファー	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
精製度	Protein A purified
特記事項 (精製)	ab106637 is purified by affinity chromatography via a peptide column.
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション

The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab106637の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
IHC-P		Use a concentration of 5 µg/ml.
WB		Use a concentration of 0.5 - 1 µg/ml. Predicted molecular weight: 101 kDa.

ターゲット情報

組織特異性

Expressed in stomach, liver, lung, kidney, prostate, testis, thyroid gland, adrenal gland, brain, heart, skeletal muscle, colon, spleen, small intestine, placenta, blood leukocyte and mammary epithelial cells. Overexpressed in most breast cancer cell lines.

関連疾患

Note=A chromosomal aberration involving BCAS3 has been found in some breast carcinoma cell lines. Translocation t(17;20)(q23;q13) with BCAS4.

配列類似性

Belongs to the WD repeat BCAS3 family.
Contains 3 WD repeats.


発生段階

Fetal.

細胞内局在

Nucleus.

画像




Lane 1 : Anti-BCAS3 antibody (ab106637) at 0.5 µg/ml

Lane 2 : Anti-BCAS3 antibody (ab106637) at 1 µg/ml

All lanes : Rat brain tissue lysate

Lysates/proteins at 15 µg per lane.

Predicted band size: 101 kDa



ab106637 at a 5µg/ml, staining BCAS3 in Rat brain, using Immunohistochemistry, Formalin-fixed, Paraffin-embedded tissue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors