abcam

Product datasheet

Anti-BCMA antibody [MM0108-3D44] ab89152

画像数1

製品の概要

製品名 Anti-BCMA antibody [MM0108-3D44]

製品の詳細 Rat monoclonal [MM0108-3D44] to BCMA

由来種 Rat

アプリケーション 適用あり: Inhibition Assay, WB

種交差性 交差種: Human

免疫原 Recombinant fragment (Human) - extracellular domain

ポジティブ・コントロール WB: Human placenta tissue lysate.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

パッファー Constituent: PBS 精製度 Protein G purified

特記事項(精製) The IgG fraction of culture supernatant was purified by Protein G affinity chromatography and 0.2

µm filtered.

ポリ/モノ モノクローナル **ウローン名** MM0108-3D44

アイソタイプ lgG2

アプリケーション

The Abpromise guarantee Abpromi

Abpromise保証は、次のテスト済みアプリケーションにおけるab89152の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Inhibition Assay		Use at an assay dependent concentration.
WB		1/500 - 1/1000. Predicted molecular weight: 20 kDa.


ターゲット情報

機能	Receptor for TNFSF13B/BLyS/BAFF and TNFSF13/APRIL. Promotes B-cell survival and plays a role in the regulation of humoral immunity. Activates NF-kappa-B and JNK.	
組織特異性	Expressed in mature B-cells, but not in T-cells or monocytes.	
関連疾患	Note=A chromosomal aberration involving TNFRSF17 is found in a form of T-cell acute lymphoblastic leukemia (T-ALL). Translocation t(4;16)(q26;p13) with IL2.	
配列類似性	Contains 1 TNFR-Cys repeat.	

Cell membrane. Endomembrane system. Perinuclear Golgi-like structures.

画像

細胞内局在



Anti-BCMA antibody [MM0108-3D44] (ab89152) at 1/500 dilution + Human placenta tissue lysate

Predicted band size: 20 kDa Observed band size: 20 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors