# abcam

## Product datasheet

# Biotin Anti-Flt3 ligand/Flt3L antibody ab84261

#### 画像数 1

#### 製品の概要

製品名 Biotin Anti-Flt3 ligand/Flt3L antibody

製品の詳細 Biotin Rabbit polyclonal to Flt3 ligand/Flt3L

中来種 Rabbit 標識 Biotin

アプリケーション 適用あり: Sandwich ELISA

種交差性 交差種: Human

免疫原 Recombinant full length protein corresponding to Human Flt3 ligand/Flt3L.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Lyophilized:Centrifuge vial prior to opening. Reconstitute in sterile PBS containing 0.1% BSA to a

concentration of 0.1-1.0 mg/ml.

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

バッファー Constituent: PBS 精製度 Protein A purified

特記事項(精製) ab84261 is sterile filtered.

**ポリ/モノ** ポリクローナル

アイソタイプ IgG

アプリケーション


#### アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Sandwich ELISA		Use a concentration of 0.25 - 1 µg/ml. Allows the detection of at least 0.2 - 0.4 ng/well of recombinant human Flt3 ligand.

#### ターゲット情報

機能
Stimulates the proliferation of early hematopoietic cells by activating FLT3. Synergizes well with a number of other colony stimulating factors and interleukins.
細胞内局在
Secreted and Cell membrane.

#### 画像



To detect human Flt3 ligand/Flt3L by sandwich ELISA (using 100  $\mu$ l/well antibody solution) a concentration of 0.25 – 1.0  $\mu$ g/ml of ab84261 is required. This biotinylated polyclonal antibody, in conjunction with an anti-Flt3 ligand/Flt3L (<u>ab9688</u>) as a capture antibody, allows the detection of at least 0.2 – 0.4  $\mu$ g/well of recombinant human Flt3 ligand/Flt3L.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors