# abcam

## Product datasheet

## Biotin Anti-PDGFR beta antibody [APB5] ab93533

3 References 画像数 1

製品の概要

製品名 Biotin Anti-PDGFR beta antibody [APB5]

製品の詳細 Biotin Rat monoclonal [APB5] to PDGFR beta

**由来種** Rat

標識 Biotin

アプリケーション 適用あり: Flow Cyt

種交差性 交差種: Mouse

免疫原 Recombinant fragment corresponding to Mouse PDGFR beta. Extracellular domain of murine

PDGFR-β.

ポジティブ・コントロール NIH3T3 cells

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

**バッファー** pH: 7.20

Preservative: 0.09% Sodium azide

Constituents: 0.87% Sodium chloride, PBS

精製度 Protein G purified

**ポリ/モノ** モノクローナル

**クローン名** APB5 **アイソタイプ** IgG2a

**軽鎖の種類** kappa

1

#### The Abpromise guarantee

Abpromise保証は、次のテスト済みアプリケーションにおけるab93533の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt		

#### 追加情報

Flow Cyt: Use at a concentration of 1 µg/test in 100µl volume.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

#### ターゲット情報

#### 機能

Receptor that binds specifically to PDGFB and PDGFD and has a tyrosine-protein kinase activity. Phosphorylates Tyr residues at the C-terminus of PTPN11 creating a binding site for the SH2 domain of GRB2.

#### 関連疾患

Note=A chromosomal aberration involving PDGFRB is found in a form of chronic myelomonocytic leukemia (CMML). Translocation t(5;12)(q33;p13) with EVT6/TEL. It is characterized by abnormal clonal myeloid proliferation and by progression to acute myelogenous leukemia (AML). Note=A chromosomal aberration involving PDGFRB may be a cause of acute myelogenous leukemia. Translocation t(5;14)(q33;q32) with TRIP11. The fusion protein may be involved in clonal evolution of leukemia and eosinophilia.

Note=A chromosomal aberration involving PDGFRB may be a cause of juvenile myelomonocytic leukemia. Translocation t(5;17)(q33;p11.2) with SPECC1.

Defects in PDGFRB are a cause of myeloproliferative disorder chronic with eosinophilia (MPE) [MIM:131440]. A hematologic disorder characterized by malignant eosinophils proliferation. Note=A chromosomal aberration involving PDGFRB is found in many instances of myeloproliferative disorder chronic with eosinophilia. Translocation t(5;12) with ETV6 on chromosome 12 creating an PDGFRB-ETV6 fusion protein.

Note=A chromosomal aberration involving PDGFRB may be the cause of a myeloproliferative disorder (MBD) associated with eosinophilia. Translocation t(1;5)(q23;q33) that forms a PDE4DIP-PDGFRB fusion protein.

### 配列類似性

Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor

subfamily.

Contains 5 lg-like C2-type (immunoglobulin-like) domains.

Contains 1 protein kinase domain.


## 翻訳後修飾

Autophosphorylated. Dephosphorylated by PTPRJ at Tyr-751, Tyr-857, Tyr-1009 and Tyr-1021.

細胞内局在

Membrane.

#### 画像



Flow Cytometry - Biotin Anti-PDGFR beta antibody [APB5] (ab93533)

ab93533 at 0.5µg dilution staining PDGFR beta in NIH3T3 cells by Flow Cytometry (shown in blue) followed by Streptavidin-PE. Appropriate isotype controls were used (open histogram). Total viable cells were used for analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors