abcam

Product datasheet

Biotin Anti-VSV-G tag antibody ab34774

★★★★★ 9 Abreviews 6 References 画像数 3

製品の概要

製品名 Biotin Anti-VSV-G tag antibody

製品の詳細 Biotin Rabbit polyclonal to VSV-G tag

中来種 Rabbit 標識 Biotin

特異性 This antibody is directed against VSV-G protein.

アプリケーション 適用あり: ELISA, WB, ICC/IF

種交差性 交差種: Species independent

免疫原 Synthetic peptide corresponding to VSV-G tag aa 501-511.

Sequence:

YTDIEMNRLGK

Run BLAST with
Run BLAST with

特記事項 Biotinamidocaproate N-Hydroxysuccinimide Ester (BAC) Biotin/Protein Ratio: 10-20 BAC

molecules per Donkey IgG molecule.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

パッファー pH: 6.50

Preservative: 0.01% Sodium azide

Constituents: 1% BSA, 0.42% Tripotassium orthophosphate, 0.87% Sodium chloride

精製度 Immunogen affinity purified

1

ΙgG

アプリケーション

The Abpromise guarantee <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab34774の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
ELISA	★★★★ (1)	1/3000 - 1/12000.
WB	★★★★ <u>(2)</u>	1/500 - 1/2000. Predicted molecular weight: 57.5 kDa.
ICC/IF	★★★★ (2)	1/200 - 1/1000. We recommend paraformaldehyde fixation with detergent permeabilization of cells infected with VSV or transfected with the wild-type VSV-G protein.

ターゲット情報

関連性

Vesicular stomatitis virus (VSV), an enveloped RNA virus from the Rhabdoviridae family, is released from the plasma membrane of host cells by a process called budding. The glycoprotein (VSV-g) contains a domain in its extracellular membrane proximal stem that appears to be needed for efficient VSV budding.


画像




Immunocytochemistry/ Immunofluorescence - Biotin Anti-VSV-G tag antibody (ab34774)

Image courtesy of an anonymous Abreview.

ab34774 staining VSV-G tag in human HeLa cells by Immunocytochemistry/ Immunofluorescence. The cells were paraformaldehyde fixed, permeabilised in 0.025% Triton-X in PBS and then blocked using 5% serum for 1 hour. Samples were then incubated with primary antibody at 1/200 for 16 hours at 4°C. The secondary antibody used was a goat polyclonal conjugated to Alexa Fluor® 488 (green) used undiluted.



Both lanes are ab34774 at a 1/500 dilution plus 20µg of whole cell lysate prepared from HeLa cells transfected with VSV-G. A Streptavidin HRP conjugate was used at a 1/2000 dilution. Primary antibody incubated for 16 hours at 4°C. Blocking step performed using 5% milk for 1 hour at 23°C.



ab34774 detecting the VSV-G tag in HeLa cells expressing VSV-G by direct ELISA. Samples were blocked with 5% BSA for 1 hour at 23°C and incubated with the primary antibody (1/3000 in blocking buffer) for 16 hours at 4°C. An undiluted streptavidin-alkaline phosphatase conjugate polyclonal was used as the secondary antibody.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

•	Guarantee only valid for products bought direct from Abcam or one of our authorized distributors				