# abcam

## Product datasheet

## Anti-BZW2 antibody ab96682

1 Rafarancas

両偽粉つ

### 医薬用外劇物

#### 製品の概要

製品名 Anti-BZW2 antibody

製品の詳細 Rabbit polyclonal to BZW2

由来種 Rabbit

アプリケーション 適用あり: WB, ICC/IF

種交差性 交差種: Human

交差が予測される動物種: Mouse, Rat, Cow 🕰

免疫原 Recombinant fragment corresponding to a region within amino acids 1 - 208 of Human BZW2.

ポジティブ・コントロール A431, 293T, H1299, HepG2, HeLa S3, Raji or MOLT4 cell lysate; ICC/IF: HeLa cells.

特記事項

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liqui

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**パッファー** pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)

精製度 Immunogen affinity purified

ポリ/モノ ポリクローナル

アイソタイプ IgG

1

#### アプリケーション

## The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab96682の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。


アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 48 kDa.
ICC/IF		1/100 - 1/200.

#### ターゲット情報

機能 May be involved in neuronal differentiation.

**配列類似性** Belongs to the BZW family. Contains 1 W2 domain.

#### 画像



All lanes: Anti-BZW2 antibody (ab96682) at 1/1000 dilution

Lane 1 : A431 whole cell lysate


Lane 2 : HeLa S3 whole cell lysate

Lane 3 : MOLT4 whole cell lysate

Lysates/proteins at 30 µg per lane.

Predicted band size: 48 kDa

10% SDS-PAGE



ab96682, at 1/200 dilution, staining BZW2 in paraformaldehyde-fixed HeLa cells by Immunofluorescence. Lower image is merged with DNA probe.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

BZW2 antibody (ab96682)

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors