# abcam

### Product datasheet

# Anti-C5a / C5a des Arg antibody [2952] ab11878

## ★★★★ 1 Abreviews 5 References

#### 製品の概要

製品名 Anti-C5a / C5a des Arg antibody [2952]

製品の詳細 Mouse monoclonal [2952] to C5a / C5a des Arg

由来種 Mouse

特異性 This antibody reacts with a neo-epitope (des-Arg) on C5a that is formed upon cleavage of C5 into

C5a and C5b. It will detect C5a and C5a des-Arg (Not C5).

Please notice that under given conditions it is known that C5 can expose epitopes normally only

found in the cleaved activation products.

アプリケーション 適用あり: ELISA, IHC-Fr, Functional Studies, WB, IHC-P

種交差性 交差種: Human

免疫原 Other Immunogen Type. This information is proprietary to Abcam and/or its suppliers.

ポジティブ・コントロール Human Granulocytes

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

パッファー Constituents: PBS, 0.1% BSA

精製度 Protein G purified

特記事項(精製) 0.2 μm filtered

**ポリ/モノ** モノクローナル

**クローン名** 2952

アイソタイプ lgG1

1

**The Abpromise guarantee** <u>Abpromise保証は、</u>次のテスト済みアプリケーションにおけるab11878の使用に適用されます アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ELISA	<b>★★★★ (1)</b>	Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
Functional Studies		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.

#### ターゲット情報

#### 関連性

C5 is involved in the activation of the lytic pathway within the complement system, which is an important factor in innate immunity.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors