# abcam

## Product datasheet

## Anti-Campylobacter jejuni antibody [BGN/2E10] ab54125

### 2 References

#### 製品の概要

製品名 Anti-Campylobacter jejuni antibody [BGN/2E10]

製品の詳細 Mouse monoclonal [BGN/2E10] to Campylobacter jejuni

由来種 Mouse

アプリケーション 適用あり: ELISA, IHC-Fr, ICC/IF

種交差性 交差種: Campylobacter jejuni

免疫原 Tissue, cells or virus corresponding to Campylobacter jejuni. Native, Type 1 Campylobacter jejuni

特記事項

ab 54125 reacts with a soluble excreted antigen in EIA. This determinant is unaffected by frozen storage of specimens, unlike antibodies to flagellar antigens which require fresh cultured organisms.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

## 製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

**バッファー** pH: 7.20

Preservative: 0.1% Sodium azide

Constituent: PBS

精製度 Purified IgM

特記事項(精製) ab54125 was purified by Thiosorb M chromatography

一次抗体 備考 ab 54125 reacts with a soluble excreted antigen in EIA. This determinant is unaffected by frozen

storage of specimens, unlike antibodies to flagellar antigens which require fresh cultured

organisms.

ポリ/モノ モノクローナル クローン名 **BGN/2E10** アイソタイプ

lgΜ

アプリケーション

Abpromise保証は、次のテスト済みアプリケーションにおけるab54125の使用に適用されます The Abpromise guarantee アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ELISA		Use at an assay dependent concentration.
IHC-Fr		Use at an assay dependent concentration.
ICC/IF		Use at an assay dependent concentration.

#### ターゲット情報

#### 関連件

Campylobacteriosis is an infectious disease caused by bacteria of the genus Campylobacter. Most people who become ill with campylobacteriosis get diarrhea, cramping, abdominal pain, and fever within 2 to 5 days after exposure to the organism. The diarrhea may be bloody and can be accompanied by nausea and vomiting. The illness typically lasts 1 week. Some persons who are infected with Campylobacter don't have any symptoms at all. In persons with compromised immune systems, Campylobacter occasionally spreads to the bloodstream and causes a serious life threatening infection. The Campylobacter organism is actually a group of spiral shaped bacteria that can cause disease in humans and animals. Most human illness is caused by one species, called Campylobacter jejuni, but 1% of human Campylobacter cases are caused by other species.

細胞内局在 whole cell

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors