# abcam

### Product datasheet

## Anti-Caspase-5 antibody [EP876Y] ab40887

ועלשעבע RabMAb

**6 References** 画像数5

製品の概要

製品名 Anti-Caspase-5 antibody [EP876Y]

製品の詳細 Rabbit monoclonal [EP876Y] to Caspase-5

由来種 Rabbit

特異性 Based on amino acids homology, this antibody will not recognize either p20 or p10 subunits of

Caspase-5.

アプリケーション 適用あり: IHC-P, IP, WB

適用なし: Flow Cyt or ICC/IF

種交差性 交差種: Human

免疫原 Synthetic peptide within Human Caspase-5 aa 1-100 (N terminal). The exact sequence is

proprietary.

ポジティブ・コントロール IHC-P: Human breast carcinoma. WB: HT-1080 and HeLa cell lysates. IP: HeLa cell lysate

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

バッファー pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.5% BSA

精製度 Protein A purified

モノクローナル ポリモノ

クローン名

EP876Y

アイソタイプ

lgG

#### アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab40887の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
IP		1/50.
WB		1/1000 - 1/10000. Detects a band of approximately 47 kDa (predicted molecular weight: 47 kDa).

追加情報

Is unsuitable for Flow Cyt or ICC/IF.

#### ターゲット情報

機能 Mediator of programmed cell death (apoptosis).

組織特異性 Expressed in barely detectable amounts in most tissues except brain, highest levels being found


in lung, liver and skeletal muscle.

配列類似性 Belongs to the peptidase C14A family.

Contains 1 CARD domain.

翻訳後修飾 The two subunits are derived from the precursor sequence by an autocatalytic mechanism.

#### 画像



Western blot - Anti-Caspase-5 antibody [EP876Y] (ab40887)

Anti-Caspase-5 antibody [EP876Y] (ab40887) at 1/1000 dilution + HT-1080 (Human fibrosarcoma epithelial cell) prepared in 1%SDS Hot lysis method whole cell lysates at 15  $\mu$ g


#### **Secondary**

Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/20000 dilution

**Predicted band size:** 47 kDa **Observed band size:** 47 kDa


Blocking/Diluting Buffer and concentration:

5% NFDM/TBST



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Caspase-5 antibody [EP876Y] (ab40887)

Stainign of Caspase 5 on paraffin-embedded human breast carcinoma sections, using **ab40557** at a 1/50 dilution. Heat mediated antigen retrieval was performed with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunoprecipitation - Anti-Caspase-5 antibody [EP876Y] (ab40887)

Purified ab40887 at 1/50 dilution (2µg) immunoprecipitating Caspase-5 in HeLa treated with heat shock (42? 1h) then recovery for 6h whole cell lysate.

Lane 1 (input): HeLa (Human cervix adenocarcinoma epithelial cell) treated with heat shock (42? 1h) then recovery for 6h whole cell lysate 10µg


Lane 2 (+): ab40887 + HeLa treated with heat shock (42? 1h) then recovery for 6h whole cell lysate.

Lane 3 (-): Rabbit monoclonal IgG (<u>ab172730</u>) instead of ab40887 in HeLa treated with heat shock (42? 1h) then recovery for 6h whole cell lysate.

VeriBlot for IP Detection Reagent (HRP) (<u>ab131366</u>) (1/1000 dilution) was used for Western blotting.

Blocking Buffer and concentration: 5% NFDM/TBST. Diluting buffer and concentration: 5% NFDM/TBST.

Observed band size: 47 kDa




Western blot - Anti-Caspase-5 antibody [EP876Y] (ab40887)

Anti-Caspase-5 antibody [EP876Y] (ab40887) at 1/10000 dilution + HeLa cell lysate at  $10~\mu g$ 

**Predicted band size:** 47 kDa **Observed band size:** 47 kDa

The cell lysates were prepared in 1%SDS Hot lysis method.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors