

Anti-Caspase-9 antibody ab69514

[15 References](#) [画像数 1](#)

製品の概要

| | |
|--------------|---|
| 製品名 | Anti-Caspase-9 antibody |
| 製品の詳細 | Rabbit polyclonal to Caspase-9 |
| 由来種 | Rabbit |
| 特異性 | Detects bands of ~46-50kDa (proform) and ~35/37kDa, ~18kDa, ~10kDa (processed) by Western blot. |
| アプリケーション | 適用あり: WB |
| 種交差性 | 交差種: Human |
| 免疫原 | Recombinant fragment corresponding to Human Caspase-9 (N terminal). procaspase-9 region Database link: P55211 |
| ポジティブ・コントロール | HeLa Cell Lysate (Heat Shocked); Jurkat cell lysate |
| 特記事項 | <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p> |

製品の特性

| | |
|--------|---|
| 製品の状態 | Liquid |
| 保存方法 | Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles. |
| バッファー | Preservative: 0.09% Sodium azide Constituent: PBS |
| 精製度 | Protein A purified |
| ポリ/モノ | ポリクローナル |
| アイソタイプ | IgG |

アプリケーション


The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab69514の使用に適用されます**
 アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

| アプリケーション | Abreviews | 特記事項 |
|----------|-----------|---|
| WB | | 1/500. Detects a band of approximately 50 kDa (predicted molecular weight: 46 kDa). |

ターゲット情報

| | |
|--------------|---|
| 機能 | Involved in the activation cascade of caspases responsible for apoptosis execution. Binding of caspase-9 to Apaf-1 leads to activation of the protease which then cleaves and activates caspase-3. Proteolytically cleaves poly(ADP-ribose) polymerase (PARP). Isoform 2 lacks activity is an dominant-negative inhibitor of caspase-9. |
| 組織特異性 | Ubiquitous, with highest expression in the heart, moderate expression in liver, skeletal muscle, and pancreas. Low levels in all other tissues. Within the heart, specifically expressed in myocytes. |
| 配列類似性 | Belongs to the peptidase C14A family. Contains 1 CARD domain. |
| 発生段階 | Expressed at low levels in fetal heart, at moderate levels in neonate heart, and at high levels in adult heart. |
| 翻訳後修飾 | Cleavages at Asp-315 by granzyme B and at Asp-330 by caspase-3 generate the two active subunits. Caspase-8 and -10 can also be involved in these processing events. |

画像



All lanes : Anti-Caspase-9 antibody (ab69514) at 1/500 dilution

Lane 1 : Jurkat cell lysate

Lane 2 : apoptosis-induced Jurkat cell lysate

Predicted band size: 46 kDa

Observed band size: 50 kDa

Additional bands at: 36 kDa, 40 kDa. We are unsure as to the identity of these extra bands.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors