abcam

Product datasheet

Anti-CD22 (phospho Y807) antibody [Y505] ab32040

ועלשעבע RabMAb

1 References 画像数 2

製品の概要

製品名 Anti-CD22 (phospho Y807) antibody [Y505]

製品の詳細 Rabbit monoclonal [Y505] to CD22 (phospho Y807)

由来種 Rabbit

アプリケーション **適用あり:** WB

適用なし: Flow Cyt,IHC or IP

種交差性 交差種: Human

免疫原 Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

特記事項 This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

these species. Please contact us for more information.

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

バッファー pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.05% BSA

精製度 Protein A purified

モノクローナル ポリモノ

クローン名 Y505 アイソタイプ lgG

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab32040の使用に適用されますアプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/2000. Detects a band of approximately 150 kDa (predicted molecular weight: 95 kDa).

追加情報

Is unsuitable for Flow Cyt,IHC or IP.

ターゲット情報

機能	Mediates B-cell B-cell interactions. May be involved in the localization of B-cells in lymphoid tissues. Binds sialylated glycoproteins; one of which is CD45. Preferentially binds to alpha-2,6-linked sialic acid. The sialic acid recognition site can be masked by cis interactions with sialic acids on the same cell surface. Upon ligand induced tyrosine phosphorylation in the immune response seems to be involved in regulation of B-cell antigen receptor signaling. Plays a role in positive regulation through interaction with Src family tyrosine kinases and may also act as an inhibitory receptor by recruiting cytoplasmic phosphatases via their SH2 domains that block signal transduction through dephosphorylation of signaling molecules.
組織特異性	B-lymphocytes.

配列類似性
Belongs to the immunoglobulin superfamily. SIGLEC (sialic acid binding lg-like lectin) family.
Contains 6 lg-like C2-type (immunoglobulin-like) domains.
Contains 1 lg-like V-type (immunoglobulin-like) domain.

Contains 1 ig-like V-type (immunoglobulin-like) domain.


Contains 4 copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases.

Phosphorylation of Tyr-762, Tyr-807 and Tyr-822 are involved in binding to SYK, GRB2 and SYK, respectively. Phosphorylation of Tyr-842 is involved in binding to SYK, PLCG2 and PlK3R1/PlK3R2.

Phosphorylated on tyrosine residues by LYN. 細胞内局在 Cell membrane.

画像

翻訳後修飾



Western blot - Anti-CD22 (phospho Y807) antibody [Y505] (ab32040)

All lanes : Anti-CD22 (phospho Y807) antibody [Y505] (ab32040) at 1/10000 dilution

Lane 1 : Jurkat (Human T cell leukemia T lymphocyte) whole cell lysate

Lane 2: Jurkat (Human T cell leukemia T lymphocyte) treated with 10mM Pervanadate for 30 min whole cell lysate 15 µg.

Lane 3: Jurkat (Human T cell leukemia T lymphocyte) treated with 10mM Pervanadate for 30 min whole cell lysate, then the membrane was incubated with alkaline phosphatase for 1 hour

Lysates/proteins at 15 µg per lane.


Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (<u>ab97051</u>) at 1/20000 dilution

Predicted band size: 95 kDa **Observed band size:** 150 kDa

Exposure time: 40 seconds

Blocking and diluting buffer and concentration: 5% NFDM/TBST



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.co.jp/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors