

Anti-Choriogonadotropin subunit beta 3 antibody [INN-hCG-2] ab11388

★★★★☆ [1 Abreviews](#) [1 References](#)

製品の概要

製品名	Anti-Choriogonadotropin subunit beta 3 antibody [INN-hCG-2]
製品の詳細	Mouse monoclonal [INN-hCG-2] to Choriogonadotropin subunit beta 3
由来種	Mouse
アプリケーション	適用あり: ELISA, IHC-P, RIA 適用なし: Flow Cyt
種交差性	交差種: Human
免疫原	Recombinant full length protein corresponding to Human Choriogonadotropin subunit beta 3. Database link: P0DN86
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.40 Preservative: 0.09% Sodium azide Constituent: PBS
精製度	Protein A purified
ポリ/モノ	モノクローナル
クローン名	INN-hCG-2
ミエローマ	P3-NS1/1-Ag4-1
アイソタイプ	IgG1

アプリケーション

The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab11388の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
ELISA		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.
RIA		Use at an assay dependent concentration.

追加情報 Is unsuitable for Flow Cyt.

ターゲット情報

機能	Beta subunit of the human chorionic gonadotropin (hCG). hCG is a complex glycoprotein composed of two glycosylated subunits alpha and beta which are non-covalently associated. The alpha subunit is identical to those in the pituitary gonadotropin hormones (LH, FSH and TSH). The beta subunits are distinct in each of the hormones and confer receptor and biological specificity. Has an essential role in pregnancy and maternal adaptation. Stimulates the ovaries to synthesize the steroids that are essential for the maintenance of pregnancy.
組織特異性	High expression in the placenta throughout pregnancy.
配列類似性	Belongs to the glycoprotein hormones subunit beta family.
発生段階	Expressed continuously during the whole pregnancy with a peak during the first trimester.
細胞内局在	Secreted.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors