

Anti-CRSP2 / MED14 antibody [2214C1a] ab51349

[1 References](#) [画像数 1](#)

製品の概要

製品名	Anti-CRSP2 / MED14 antibody [2214C1a]
製品の詳細	Mouse monoclonal [2214C1a] to CRSP2 / MED14
由来種	Mouse
アプリケーション	適用あり: WB
種交差性	交差種: Recombinant fragment
免疫原	Recombinant human CRSP2/ MED14 fragment
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
バッファー	pH: 7.40 Preservative: 0.05% Sodium azide Constituents: 0.1312% Sodium phosphate, 0.0225% Potassium chloride, 1% BSA, 0.03% Potassium phosphate, 0.812% Sodium chloride, PBS
精製度	Protein G purified
特記事項 (精製)	Ab51349 was purified using protein G column chromatography from culture supernatant of hybridoma cultured in a medium containing bovine IgG depleted (approximately 95%) fetal bovine serum.
ポリ/モノ	モノクローナル
クローン名	2214C1a
アイソタイプ	IgG1

アプリケーション


The Abpromise guarantee **Abpromise保証は、次のテスト済みアプリケーションにおけるab51349の使用に適用されます**
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		Use at an assay dependent concentration. Predicted molecular weight: 161 kDa.

ターゲット情報

機能	Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors.
組織特異性	Ubiquitous.
配列類似性	Belongs to the Mediator complex subunit 14 family.
細胞内局在	Nucleus.

画像



Anti-CRSP2 / MED14 antibody [2214C1a] (ab51349) +
Recombinant CRSP2/MED14

Predicted band size: 161 kDa

Observed band size: 36 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors