


### Anti-CSN7b antibody [EPR6465] ab124718

KO 評価済 リコンビナント RabMAb

★★★★☆ 1 Abreviews 1 References 画像数 6

#### 製品の概要

製品名	Anti-CSN7b antibody [EPR6465]
製品の詳細	Rabbit monoclonal [EPR6465] to CSN7b
由来種	Rabbit
アプリケーション	<b>適用あり:</b> Flow Cyt (Intra), WB, ICC/IF <b>適用なし:</b> IHC-P
種交差性	<b>交差種:</b> Mouse, Human <b>交差が予測される動物種:</b> Rat 
免疫原	Synthetic peptide within Human CSN7b aa 200-300. The exact sequence is proprietary.
ポジティブ・コントロール	WB: HEK293T, HAP1, Jurkat, HeLa, HL-60, and HT-29 cell lysates. Flow Cyt (intra): HeLa cells. ICC/IF: HeLa cells.
特記事項	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> For more information <a href="#">see here</a> . Our RabMAb <sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a> .

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue culture supernatant
精製度	Protein A purified
ポリ/モノ	モノクローナル

クローン名                      EPR6465  
アイソタイプ                    IgG

#### アプリケーション

**The Abpromise guarantee**            **Abpromise保証は、** 次のテスト済みアプリケーションにおけるab124718の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
Flow Cyt (Intra)		Use at an assay dependent concentration.
WB	★★★★★ (1)	1/10000 - 1/50000. Predicted molecular weight: 30 kDa.
ICC/IF		1/50 - 1/100.

追加情報                              Is unsuitable for IHC-P.


#### ターゲット情報

**機能**                                      Component of the COP9 signalosome complex (CSN), a complex involved in various cellular and developmental processes. The CSN complex is an essential regulator of the ubiquitin (Ubl) conjugation pathway by mediating the deneddylation of the cullin subunits of SCF-type E3 ligase complexes, leading to decrease the Ubl ligase activity of SCF-type complexes such as SCF, CSA or DDB2. The complex is also involved in phosphorylation of p53/TP53, JUN, I-kappa-B-alpha/NFKBIA, ITPK1 and IRF8/ICSBP, possibly via its association with CK2 and PKD kinases. CSN-dependent phosphorylation of TP53 and JUN promotes and protects degradation by the Ubl system, respectively.

**配列類似性**                              Belongs to the CSN7/EIF3M family. CSN7 subfamily.  
Contains 1 PCI domain.

**細胞内局在**                              Cytoplasm. Nucleus.

#### 画像



Western blot - Anti-CSN7b antibody [EPR6465] (ab124718)

**All lanes :** Anti-CSN7b antibody [EPR6465] (ab124718) at 1/1000 dilution

**Lane 1 :** Wild-type HEK293T cell lysate

**Lane 2 :** COPS7B knockout HEK293T cell lysate

**Lane 3 :** HeLa cell lysate

**Lane 4 :** HAP1 cell lysate

Lysates/proteins at 20 µg per lane.

### Secondary


**All lanes :** Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed ([ab216773](#)) at 1/10000 dilution

**Predicted band size:** 30 kDa

**Observed band size:** 32 kDa

**Lanes 1-4:** Merged signal (red and green). Green - ab124718 observed at 32 kDa. Red - loading control [ab8245](#) observed at 36 kDa.

ab124718 Anti-CSN7b antibody [EPR6465] was shown to specifically react with CSN7b in wild-type HEK293T cells. Loss of signal was observed when knockout cell line [ab266646](#) (knockout cell lysate [ab257895](#)) was used. Wild-type and CSN7b knockout samples were subjected to SDS-PAGE. ab124718 and Anti-GAPDH antibody [6C5] - Loading Control ([ab8245](#)) were incubated overnight at 4°C at 1 in 1000 dilution and 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed ([ab216773](#)) and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed ([ab216776](#)) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.



**Lane 1:** Wild-type HAP1 cell lysate (20 µg)


**Lane 2:** CSN7b knockout HAP1 cell lysate (20 µg)

**Lane 3:** HeLa cell lysate (20 µg)


**Lane 4:** Jurkat cell lysate (20 µg)

**Lanes 1 - 4:** Merged signal (red and green). Green - ab124718 observed at 32 kDa. Red - loading control, **ab8245**, observed at 37 kDa.

ab124718 was shown to specifically react with CSN7b when CSN7b knockout samples were used. Wild-type and CSN7b knockout samples were subjected to SDS-PAGE. ab124718 and **ab8245** (loading control to GAPDH) were both diluted 1/10000 and incubated overnight at 4°C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed **ab216773** and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed **ab216776** secondary antibodies at 1/10000 dilution for 1 hour at room temperature before imaging.



Intracellular Flow Cytometry analysis of HeLa (human cervix adenocarcinoma) cells labeling CSN7b with unpurified ab124718 at 1/800 dilution (1 µg/ml) (red). Cells were fixed with 4% paraformaldehyde and permeabilised with 90% methanol. A Goat anti-rabbit IgG (Alexa Fluor® 488) (1/2000 dilution) was used as the secondary antibody. Rabbit monoclonal IgG (Black) was used as the isotype control, cells without incubation with primary antibody and secondary antibody (Blue) were used as the unlabeled control.



**All lanes :** Anti-CSN7b antibody [EPR6465] (ab124718) at 1/10000 dilution

**Lane 1 :** Jurkat cell lysates

**Lane 2 :** HeLa cell lysates

**Lane 3 :** HL60 cell lysates


**Lane 4 :** HT-29 cell lysates

Lysates/proteins at 10 µg per lane.

### Secondary





**All lanes :** HRP labelled goat anti-rabbit at 1/2000 dilution

**Predicted band size:** 30 kDa



ab124718, at 1/50, staining CSN7b in HeLa cells by Immunofluorescence.

Why choose a recombinant antibody?

 <p><b>Research with confidence</b> Consistent and reproducible results</p>	 <p><b>Long-term and scalable supply</b> Recombinant technology</p>
 <p><b>Success from the first experiment</b> Confirmed specificity</p>	 <p><b>Ethical standards compliant</b> Animal-free production</p>

Anti-CSN7b antibody [EPR6465] (ab124718)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors