

### Anti-DAP3 antibody ab227257

画像検索

医薬用外劇物

#### 製品の概要

製品名	Anti-DAP3 antibody
製品の詳細	Rabbit polyclonal to DAP3
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB, ICC/IF, IHC-P
種交差性	<b>交差種:</b> Mouse, Human
免疫原	Recombinant fragment within Human DAP3 (internal sequence). The exact sequence is proprietary. Database link: <a href="#">P51398</a>
ポジティブ・コントロール	IHC-P: MDA-MB-231 xenograft tissue. WB: HepG2 whole cell lysate. ICC/IF: HeLa cells.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 20% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリモノ	ポリクローナル
アイソタイプ	IgG

#### アプリケーション

## The Abpromise guarantee

**Abpromise保証は、**次のテスト済みアプリケーションにおけるab227257の使用に適用されます


アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 46 kDa.
ICC/IF		1/100 - 1/1000.
IHC-P		1/100 - 1/1000.

## ターゲット情報

機能	Involved in mediating interferon-gamma-induced cell death.
組織特異性	Ubiquitous.
細胞内局在	Mitochondrion.


## 画像



Anti-DAP3 antibody (ab227257) at 1/1000 dilution + HepG2 (human liver hepatocellular carcinoma cell line) whole cell lysate at 30 µg


**Predicted band size:** 46 kDa

10% SDS-PAGE gel.



Methanol-fixed HeLa (human epithelial cell line from cervix adenocarcinoma) cells stained for DAP3 (green) using ab227257 at 1/200 dilution in ICC/IF. Nuclear Counterstain: Hoechst 33342 (blue).

Immunocytochemistry/ Immunofluorescence - Anti-DAP3 antibody (ab227257)



Paraffin-embedded MDA-MB-231 xenograft tissue stained for DAP3 with ab227257 at 1/250 dilution in immunohistochemical analysis.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DAP3 antibody (ab227257)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors