


# Anti-DENND4A antibody ab117758

画像数 1

### 製品の概要

製品名	Anti-DENND4A antibody
製品の詳細	Rabbit polyclonal to DENND4A
由来種	Rabbit
アプリケーション	<b>適用あり:</b> WB
種交差性	<b>交差種:</b> Human <b>交差が予測される動物種:</b> Chimpanzee, Orangutan 
免疫原	Synthetic peptide, corresponding to a region within amino acids 1525-1575 of Human DENND4A (NP_005839.3).
ポジティブ・コントロール	Jurkat, 293T and HeLa whole cell lysates.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

### 製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
バッファー	pH: 7.00 Preservative: 0.09% Sodium azide Constituent: 99% Tris citrate/phosphate
精製度	pH 7 to 8 Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

## アプリケーション


**The Abpromise guarantee** Abpromise保証は、次のテスト済みアプリケーションにおけるab117758の使用に適用されます  
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/1000 - 1/5000. Predicted molecular weight: 209 kDa.

## ターゲット情報

機能	Binds to ISRE-like element (interferon-stimulated response element) of MYC P2 promoter.
組織特異性	Expressed ubiquitously. Highest expression in bone marrow, medium in peripheral blood lymphocytes and lowest in spleen. In brain, breast, and prostate, higher expression was seen in normal cells than in tumor cells. Expression is regulated in a growth- and cell cycle-dependent manner.
配列類似性	Contains 1 dDENN domain. Contains 1 DENN domain. Contains 1 MABP domain. Contains 2 PPR (pentatricopeptide) repeats. Contains 1 uDENN domain.
発生段階	Highly expressed in fetal liver.
細胞内局在	Nucleus.

## 画像



**All lanes :** Anti-DENND4A antibody (ab117758) at 0.4 µg/ml

**Lane 1 :** Jurkat whole cell lysate at 50 µg

**Lane 2 :** Jurkat whole cell lysate at 15 µg

**Lane 3 :** 293T whole cell lysate at 50 µg

**Lane 4 :** HeLa whole cell lysate at 50 µg

Developed using the ECL technique.

**Predicted band size:** 209 kDa

**Exposure time:** 30 seconds

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors