# abcam

## Product datasheet

## Anti-DNAJC5B antibody ab69262

### 画像数1

#### 製品の概要

製品名 Anti-DNAJC5B antibody

製品の詳細 Mouse polyclonal to DNAJC5B

由来種 Mouse

アプリケーション **適用あり**: WB

免疫原 Recombinant full length protein within Human DNAJC5B. The exact immunogen sequence used

to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please **contact** our Scientific

Support team to discuss your requirements.

ポジティブ・コントロール DNAJC5B transfected 293T lysate.

特記事項 The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

製品の特性

製品の状態 Liquid

保存方法 Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

**バッファー** pH: 7.40

Constituent: 100% PBS

精製度 Protein G purified

ポリ/モノ ポリクローナル

アイソタイプ IgG

アプリケーション

## The Abpromise guarantee Abpromise保証は、次のテスト済みアプリケーションにおけるab69262の使用に適用されます

アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご検討ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/1000. Detects a band of approximately 23 kDa (predicted molecular weight: 23 kDa).

#### ターゲット情報


関連性 DnaJ is a testis-specific heat shock protein and functions in association with DnaK(Hsp70). It is a

molecular chaperone to facilitate protein folding. DnaJ plays a key role in the chaperone reaction

by stimulating the ATPase activity and activating the substrate binding of Hsp70.

**細胞内局在** Membrane; Lipid-anchor

#### 画像



All lanes: Anti-DNAJC5B antibody (ab69262) at 1/500 dilution

Lane 1: DNAJC5B transfected lysate

Lane 2: Non-transfected lysate

Lysates/proteins at 25 µg per lane.

## Secondary

All lanes: Goat Anti-Mouse IgG (H&L)-HRP at 1/2500 dilution

**Predicted band size:** 23 kDa **Observed band size:** 23 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit <a href="https://www.abcam.co.jp/abpromise">https://www.abcam.co.jp/abpromise</a> or contact our technical team.

## Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors