

Anti-DPP3 antibody ab97437

★★★★★ 1 Abreviews 1 References 画像数 3

医薬用外劇物

製品の概要

製品名	Anti-DPP3 antibody
製品の詳細	Rabbit polyclonal to DPP3
由来種	Rabbit
アプリケーション	適用あり: WB, IHC-P, ICC/IF
種交差性	交差種: Human 交差が予測される動物種: Mouse, Rat, Cow 
免疫原	Recombinant protein fragment corresponding to a region within amino acids 138 and 435 of DPP3 (NP_005691).
ポジティブ・コントロール	WB: 293T, A431, H1299, HeLa, HepG2, MOLT4 and Raji cell lysates; IHC: AGS xenograft. ICC/IF: HeLa cells.
特記事項	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

製品の特性

製品の状態	Liquid
保存方法	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
バッファー	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)
精製度	Immunogen affinity purified
ポリ/モノ	ポリクローナル
アイソタイプ	IgG

アプリケーション


The Abpromise guarantee **Abpromise保証は、**次のテスト済みアプリケーションにおけるab97437の使用に適用されます
アプリケーションノートには、推奨の開始希釈率がありますが、適切な希釈率につきましてはご確認ください。

アプリケーション	Abreviews	特記事項
WB		1/500 - 1/3000. Predicted molecular weight: 83 kDa.
IHC-P		1/100 - 1/250.
ICC/IF	★★★★★ (1)	1/100 - 1/200.

ターゲット情報


機能	Cleaves Arg-Arg-beta-naphthylamide.
配列類似性	Belongs to the peptidase M49 family.
細胞内局在	Cytoplasm.

画像




Anti-DPP3 antibody (ab97437) at 1/1000 dilution + MOLT4 whole cell lysate at 30 µg

Predicted band size: 83 kDa



Top: immunofluorescence analysis of paraformaldehyde-fixed HeLa cells, using ab97437 at 1/200 dilution. Bottom: image merged with DNA probe.

Immunocytochemistry/ Immunofluorescence - Anti-DPP3 antibody (ab97437)



Immunohistochemical analysis of paraffin-embedded AGS xenograft, using ab97437 at 1/100 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DPP3 antibody (ab97437)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.co.jp/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors